

RCA



1996/97 PRODUCT CATALOG





DEFINING THE FUTURE OF DIGITAL TECHNOLOGY

The easy-to-use RCA DVD System utilizes a revolutionary format that will propel digital technology into the next century! Enjoy full-motion digital-quality video and audio performance capability³⁴ as realistic as life itself... all conveniently packaged on a compact, 5" disc. The new DVD format is capable of storing a full-length movie with such exciting new features as multiple languages, subtitles, parental rating control and additional production footage.



RCA DVD PLAYER FEATURES AND BENEFITS

- No rewinding
- No tracking to adjust
- No picture jitter or distortion
- Discs won't wear out
- Super Slow Motion
- Digital Still Frame
- Forward/Reverse Search

**Subtitles
& Multi-Language**
Not only can a single DVD disc hold a full-length movie, it can also support up to 8 different audio language tracks, 32 different subtitle tracks and closed captioning.

G PG PG-13 R NC-17

Parental Rating Control

The DVD format gives studios the capability to record alternate versions of a film on the same disc (based on the standard movie rating system, i.e. G, PG, PG-13, NR-Mature, R and NC-17). This gives parents the option of more control over what their children watch.






UNSURPASSED PICTURE QUALITY! ^{3 4}


Imagine a picture with over twice the definition of standard VHS. That's the performance capability of the RCA DVD System. The high-density technology on the DVD disc stores over two times the number of pixels {720 per horizontal line} versus standard VHS {320 per horizontal line}. The result—a DVD disc delivers high-quality picture performance close to the original film studio master, with outstanding clarity and unbelievable color sharpness.

RCA DVD Picture Advantage



Simulated Illustration

RCA DVD Picture—
720 pixels per horizontal line
(480 active lines of vertical resolution)




Simulated Illustration

Standard VHS Picture—
320 pixels per horizontal line
(480 active lines of vertical resolution)

Multiple Aspect Ratios

The standard TV screen operates on a 4:3 aspect ratio to fit an image on the screen. This can crop out a full third of the image from the widescreen aspect ratio used in the making of motion pictures. With the push of a button, the DVD Player can switch from the zoomed in effect of 4:3 to the wide angle, letterbox view of 16:9 on widescreen encoded discs.




Audio CD
Density Illustration

DVD Disc Density

About 95% of all Hollywood films will fit individually on one side of a single DVD disc. And because DVD disc technology is capable of storing up to two layers of information on both sides of the disc, storage capacity can virtually be quadrupled!

A 4.7-gigabyte DVD disc can hold on one side more information than seven audio compact discs or over three thousand 3-1/2" floppy disks. This increased storage capacity can accommodate more feature films, languages and subtitles than any other high-density discs.



DVD
Density Illustration



THE BEST SOUND YOU'VE EVER HEARD!

DVD discs have incorporated the same digital technology that revolutionized the music industry with the audio compact disc. This gives the RCA DVD Player an enormous dynamic range that is capable of reproducing the deepest bass of a colossal explosion to the soft highs of crickets chirping in the background.



Illustration

DOLBY¹⁶
DIGITAL
Surround Sound

Feel the debris from an exploding building whiz past you, or hear

footsteps coming up faster from behind. That's the Dolby¹⁶ Digital Surround Sound experience. You'll receive six distinct and separate channels – one from each speaker: three different audio channels from the front of the screen, and now you also get two unique rear surround channels and a distinct subwoofer sound track. Dolby¹⁶ Digital Surround Sound offers the truest home theater experience ever offered by a consumer entertainment product.



Also Plays Audio CDs

The RCA DVD Player is totally compatible with your current CD collection and offers audio playback features similar to most CD players.

RCA



RCA BRAND DSS® SYSTEM FEATURES

One-Button Record

Records any program being viewed or highlighted on the main program guides with the touch of one button. The DSS® receiver sends IR commands to the VCR* to execute the recordings at the proper time.

One-Touch Tuning


Tune directly to the program highlighted on the program guide with the touch of one button.

Features by StarSight®



16-Color Advanced On-Screen Display {OSD}

Advanced color menus and graphics provide unprecedented ease of operation. Using the remote control, the main "Room" menu can be used to access program guides, user profiles, mailbox, program purchase info, dish alignment and "Help" features.



4-Event Scheduler with VCR Control

Allows programming of the RCA DSS® system to turn on, tune to a specific channel, and turn off at a pre-set time. On models featuring the built-in VCR Control function, the receiver controls the VCR* to record the same scheduled events automatically.



Channel Icon Guide

Tune to a specific channel by scrolling through and selecting a channel's station logo. Press the "Fetch" button on the remote and the icons overlay a portion of the screen so the actual program can still be seen and heard while searching for another channel.

THE RCA DIGITAL SATELLITE SYSTEM. THE NEXT GENERATION.

The RCA DSS® Digital Satellite System has moved into the next generation with new styling, outstanding performance and advanced features that also provide easy operation. Couple this power with access to over 200 channels of programming** available from



U.S. Satellite Broadcasting

U.S. Satellite Broadcasting¹ and DIRECTV² and you've got the best in digital entertainment.




Illustration Only

Advanced On-Screen Program Guide System — Information Guide
Lists five different channels of programming at a glance. Details on the current highlighted program are displayed in a banner at the top of the screen. Program information changes automatically as the user navigates through the guide and highlights the different programs.



Illustration Only

Advanced On-Screen Program Guide System — 7-Line Program Guide
Provides channel and program title information for seven different channels covering a two-hour time window. Arrows indicate programs that started before or that will end after the current time shown on the grid.

RCA DSS® SYSTEM FEATURES:

- One-Touch Tuning
- Channel Icon Guide
- Color-Coded 39-Button Universal Remote***
- Two Sets of Video Output Jacks
- Direct IR Input Jack
- S-Video Output Jack
- WideBand Data Port
- Advanced On-Screen Program Guide System
 - Information Guide
 - Full 7-Line Program Guide
- Compact, 18" Wide Glass-Reinforced Plastic Dish Antenna



DS7430RA

- Channel Select
- One-Button Record
- Personal Profiles
- 16-Color Advanced On-Screen Display (OSD)
- 4-Event Scheduler with VCR Control*
- Dual Output LNB



DS4430RA

- One-Button Record
- Personal Profiles
- 16-Color Advanced On-Screen Display (OSD)
- 4-Event Scheduler with VCR Control*
- Dual Output LNB



DS3330RA

- 16-Color On-Screen Display (OSD)
- 4-Event Scheduler
- Single Output LNB




DRD303RA (Separate Receiver)

- 16-Color On-Screen Display (OSD)
- 4-Event Scheduler

Channel Select {DS7430RA}†

Represents the most advanced, economical method of multi-room distribution of the RCA DSS® system signal. This built-in feature provides the capability to transmit DSS® signals on an unused TV channel throughout a home's existing cable TV system. Each room that is connected will have the ability to access the same program from the DSS® receiver. Adding the optional Remote Signal Sender Accessory {DT1940} allows control of the DSS® receiver from more than one location.




Personal Profiles

Provides four users with their own individualized profile. Profile information includes parental control of rated movies³² and channel list, favorite channel lists, master spending limits per event and personal ID number {PIN}. The entire system is controlled by a master 4-digit PIN, maintaining parental security for the entire family.

¹Additional hardware required for complete installation. See footnotes on page 51.

Please check the feature comparison charts for model specifications.

RCA



SRS  Sound Retrieval System Illustration



PICTURE PERFORMANCE

Up To 930 Lines of Horizontal Resolution³
Improved resolution delivers maximum picture performance, virtually eliminating visible scanning lines.


HP {High-Performance} Scan Velocity Modulation {SVM}
Improved SVM circuitry automatically varies the scanning speed of the picture tube's electron beam to improve sharpness and detail.

Adjustable Color Warmth
Customer selectable color temperature system allows for background color balance adjustment of the picture to personal preference.

INVAR Shadow Mask
Special picture tube design uses INVAR Shadow Mask to deliver exceptional brightness while maintaining color purity and white uniformity.

HP {High-Performance} Tuning System
Provides virtually instantaneous channel change capability and dramatically shortens auto-programming set-up time.

Optimum Contrast Screen
The dark glass picture tube delivers outstanding picture contrast: blacker blacks, brilliant whites and deep, rich colors even in bright light room conditions.




FDT™ INVAR Picture Tube
The high-performance picture tube is flatter than most conventional picture tubes today. The darker face plate, combined with the INVAR Shadow Mask and Dynamic Focus, delivers outstanding picture quality.

Comb Filter
Separates black and white detail from color information to virtually eliminate edge crawls and rainbow effects while extending resolution.

Up to 70 Watts of Picture Power
High picture tube voltage and video driving current combine to produce 70 watts of picture power—delivering outstanding brightness and contrast.

See footnotes on page 51.
Features vary by model.
Please check the feature comparison charts for model specifications.
Simulated pictures.



SOUND PERFORMANCE

SRS ⁴ Sound Retrieval System

Delivers three-dimensional realism from the television's built-in speakers by restoring the spatial information your ears use to determine distance and direction. No additional speakers, wires or equipment required.

Low-Noise Audio System


Delivers a 60dB signal-to-noise ratio for spectacular quality sound.

Matrix Surround Sound⁵ Capability

Uses optional rear speakers connected directly to the TV to create theatre-like sound by synthesizing rear-channel audio information.

Broadcast Stereo with dbx⁶ Noise Reduction/SAP

Improves the clarity and fidelity of stereo broadcasts by restoring dynamic range and suppressing unwanted noise.



CONVENIENCE FEATURES

Twin TunerTM

Picture-In-Picture


Two built-in independent tuning systems allow both large-picture and small-picture viewing without the need for a second external video source {e.g., VCR}. In addition to standard RCA PIP features of Swap, Freeze and Four-Corner Move, the Twin Tuner PIP System also provides:



Continuous Move Illustration

Continuous Move

Permits placement of the small picture anywhere on the screen.



Channel Scan

Automatically sequences through the channel memory scan list of either the main or PIP tuner. Each channel is displayed for approximately four seconds.

Exclusive!

Commercial Skip to PIP

This exclusive RCA feature allows the main picture to move to the PIP window simultaneously with the activation of an on screen countdown timer. The viewer can then monitor the original program while browsing through other channels during commercial breaks.


Master Touch[®]

Universal Remote

Ergonomic design and color-coded buttons provide complete Home TheatreTM TV operation plus control of the primary functions of virtually every brand of remote controllable VCRs and cable boxes. This remote will also control the RCA DSS[®] Digital Satellite System and RCA Home TheatreTM Audio components.

VCR/DSS[®] Receiver/Cable Converter Setup

Automatically selects the proper channel or video input for VCRs, RCA brand DSS[®] receivers or cable boxes at the press of a button on the remote control.



16-Jack Audio/Video Monitor Panel

- Color-coded Monitor Panel provides direct audio and video connections for optimum performance and system flexibility.
- External speaker jacks allow hook-up of optional left/right and surround speakers.
- Includes two video inputs, one S-Video input, one video output, plus fixed and variable level audio outputs.
- Unique front A/V Input system allows convenient hook-up of camcorder or other Audio/ Video source.

RCA



ALL MODELS FEATURE:

- Slimline Design
- 930 Lines of Horizontal Resolution³
- Front-Fired Speaker System
- Broadcast Stereo with dbx⁶ Noise Reduction
- Second Audio Program (SAP)
- Matrix Surround Sound⁵
- Master Touch[®] Universal Remote
- S-Video Input
- Dual Antenna Inputs
- High Gain Picture System
- On-Screen Menu System
- VCR/DSS[®] Receiver*/ Cable Converter Setup
- Comb Filter
- Parental Control⁷
- Channel Labeling
- 181-Channel Tuning Capability⁸
- CaptionVision[®] CC Closed Caption Capability⁹

SLIMLINE PROJECTION FEATURES

Slimline Projection


RCA Slimline Projection TVs feature thinner {compared to previous design}, more attractive cabinets that offer placement choices in virtually any room. The Radius Phosphor Picture Tube System optimizes picture performance in a reduced-depth cabinet.

Slimline Storage

The RCA Slimline Projection television utilizes a unique optic system, providing a slim cabinet profile. The integrated storage compartment can neatly store VCRs, DSS[®] receivers and other equipment to allow remote control operation through tinted glass doors.




60" Diagonal P60756BA Home Theatre™ HP {High-Performance}

- SRS[®]  Sound Retrieval System
- 20-Watt¹⁰ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 61 3/8" H, 53 1/4" W, 24" D
- Optional Super Shield[®] Model SSH518



60" Diagonal P60755AT Home Theatre™ HP {High-Performance}

- SRS[®]  Sound Retrieval System
- 20-Watt¹⁰ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 61 3/8" H, 53 1/4" W, 24" D
- Optional Super Shield[®] Model SSH518

HIGH GAIN PICTURE SYSTEM:

Dynamic Focus

Improves projection screen corner and edge focus for an overall sharper picture.

High Output/Liquid Cooled and Coupled CRTs

High output picture tubes are liquid coupled to a precision optical system to deliver bright, clear images.

High Resolution/High Gain Screen

Utilizes double lenticular and fresnel lenses to deliver bright images over a wide viewing area.

High Transmittance Lens System

Hybrid glass/acrylic lens system optimizes focus and inhibits reflection.

First Surface Mirror

Reflects more light to the screen for a brighter picture.



Cabinet Depth Reduced Up To
30%



Beam Shapes with
RCA Dynamic Focus



Beam Shapes with
Conventional Focus



SUPER SHIELD[®] Projection TV Screen Protector

Over 100 shields available to fit every new RCA Projection TV and virtually all brands of projection models sold in the last 5 years. Protects projection TV screen from scratches, spills and permanent damage.

*Compatible with RCA brand DSS[®] system.
See footnotes on page 51.

Simulated pictures.

Features vary by model.

DSS[®] is a registered trademark of DIRECTV, Inc., a unit of Hughes Electronics Corp.

Please check the feature comparison charts for model specifications.



56"
Diagonal
P56740BG Home Theatre™ HP
{High-Performance}

- SRS 4 Sound Retrieval System
- 20-Watt¹⁰ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 57 1/8" H, 48 13/16" W, 26 1/2" D
- Built-in Screen Protector



52"
Diagonal
P52771AT Home Theatre™ HP
{High-Performance}

- SRS 4 Sound Retrieval System
- 20-Watt¹⁰ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- Integrated Component Storage
—2 shelves at 9 1/2" H, 22 1/2" W, 24" D
—2 shelves at 8 1/8" H, 21 3/4" W, 6" D
- 66" H, 50 1/2" W, 26 3/4" D
- Optional Super Shield®
Model SSH519



49"
Diagonal
P49740BG Home Theatre™ HP
{High-Performance}

- SRS 4 Sound Retrieval System
- 20-Watt¹⁰ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 50 3/8" H, 43 3/8" W, 25 1/2" D
- Built in Screen Protector



52"
Diagonal
P52754AT Home Theatre™ HP
{High-Performance}

- SRS 4 Sound Retrieval System
- 20-Watt¹⁰ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 56 5/8" H, 47 3/4" W, 21 3/8" D
- Optional Super Shield®
Model SSH504

P52755BA

- Same features as P52754AT with Black Ash finish



46"
Diagonal
P46733AT Home Theatre™ HP
{High-Performance}

- SRS 4 Sound Retrieval System
- 20-Watt¹⁰ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 51 3/4" H, 42 7/8" W, 20 1/2" D
- Optional Super Shield®
Model SSH515

P46734BA

- Same features as P46733AT with Black Ash finish



52"
Diagonal
P52720LV Home Theatre™

- 10-Watt¹¹ Stereo Amplifier
- 13-Jack Audio/Video Monitor Panel
- 54 3/8" H, 46 3/8" W, 23 7/8" D
- Optional Super Shield®
Model SSH526

P52720BA

- Same features as P52720LV with Black Ash finish



46"
Diagonal
P46720LV Home Theatre™

- 10-Watt¹¹ Stereo Amplifier
- 13-Jack Audio/Video Monitor Panel
- 49 1/8" H, 41 1/2" W, 23 1/8" D
- Optional Super Shield®
Model SSH525

P46720BA

- Same features as P46720LV with Black Ash finish



RCA



ALL MODELS FEATURE:

- Optimum Contrast Screen*
- Master Touch® Universal Remote
- Comb Filter
- S-Video Input
- Auto Color Control
- Contrast/Color Tracking System
- 181-Channel Tuning Capability⁸
- Advanced Autoprogramming
- Broadcast Stereo with dbx[®] Noise Reduction
- Second Audio Program (SAP)
- Channel Labeling
- CaptionVision Closed Caption Capability⁹



35"
Diagonal
F35760MB Home Theatre™ HP
(High-Performance)
(Base Optional)

- FDT™ Flatter, Darker Picture Tube¹²
- 830 Lines of Horizontal Resolution¹³
- SRS Sound Retrieval System
- 10-Watt¹¹ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- Dual Antenna Inputs
- 32 $\frac{1}{8}$ " H, 34 $\frac{1}{8}$ " W, 23 $\frac{3}{8}$ " D



35"
Diagonal
F35755MB Home Theatre™ HP
(High-Performance)

- 780 Lines of Horizontal Resolution¹⁴
- SRS Sound Retrieval System
- 10-Watt¹¹ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 32 $\frac{1}{4}$ " H, 34 $\frac{1}{8}$ " W, 23 $\frac{1}{4}$ " D



35"
Diagonal
F35673MB ColorTrak Plus™

- VHP (Very High Performance) Picture Tube
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Commercial Skip
- 29 $\frac{3}{4}$ " H, 33 $\frac{5}{8}$ " W, 23 $\frac{1}{4}$ " D



35"
Diagonal
F35670MB ColorTrak Plus™

- VHP (Very High Performance) Picture Tube
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Commercial Skip
- 29 $\frac{3}{4}$ " H, 33 $\frac{5}{8}$ " W, 23 $\frac{1}{4}$ " D



32"
Diagonal
F32730SB Home Theatre™ HP
(High-Performance)

- 770 Lines of Horizontal Resolution¹⁵
- SRS Sound Retrieval System
- 10-Watt¹¹ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 29" H, 30 $\frac{1}{8}$ " W, 22 $\frac{1}{2}$ " D



32"
Diagonal
F32672SB ColorTrak Plus™

- VHP (Very High Performance) Picture Tube
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Commercial Skip
- 29" H, 30 $\frac{1}{8}$ " W, 22 $\frac{1}{2}$ " D




32"
Diagonal
F32632SB ColorTrak Plus™

- VHP (Very High Performance) Picture Tube
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Commercial Skip
- 29" H, 30 $\frac{1}{8}$ " W, 22 $\frac{1}{2}$ " D




35"
Diagonal
G35851LA Home Theatre™ HP
{High-Performance}

- FDT™ Flatter, Darker Picture Tube¹²
- Integrated Component Storage**
- 830 Lines of Horizontal Resolution¹³
- SRS  Sound Retrieval System
- 10-Watt¹¹ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- Dual Antenna Inputs
- 53½" H, 42¾" W, 23¼" D



35"
Diagonal
G35831AT Home Theatre™ HP
{High-Performance}

- Integrated Component Storage**
- 780 Lines of Horizontal Resolution¹⁴
- SRS  Sound Retrieval System
- 10-Watt¹¹ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 46" H, 39" W, 24¼" D



32"
Diagonal
G32681AT ColorTrak Plus™

- Integrated Component Storage**
- VHP {Very High Performance} Picture Tube
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Commercial Skip
- 46½" H, 36½" W, 22½" D



35"
Diagonal
G35773SK ColorTrak Plus™

- VHP {Very High Performance} Picture Tube
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Commercial Skip
- 42" H, 40¾" W, 25⅞" D




32"
Diagonal
G32643SK ColorTrak Plus™

- VHP {Very High Performance} Picture Tube
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Commercial Skip
- 36¾" H, 37¾" W, 22¾" D



32"
Diagonal
G32750AT Home Theatre™ HP
{High-Performance}

- Integrated Component Storage**
- 770 Lines of Horizontal Resolution¹⁵
- SRS  Sound Retrieval System
- 10-Watt¹¹ Stereo Amplifier
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 46½" H, 36½" W, 21" D

* Except F35760MB and G35851LA which feature FDT™ Flatter, Darker picture tube.

** Please check the feature comparison charts for Integrated Component Storage dimensions. See footnotes on page 51. Simulated pictures.



HOME THEATRE™ AUDIO

Get all the excitement from your home entertainment system with the addition of these great Home Theatre™ Audio products.

RC2735 Optional Matching Component Rack in Autumn Tone Finish.



DOLBY¹⁶ PRO LOGIC SURROUND RECEIVERS



RV3798

- 40W x 40W x 40W Main/Center Channels*
- 40W x 40W Rear Surround Channels*
- 5 Audio/3 Video Source Inputs; RCA DVD, DVD 5.1 and DSS® System Ready***
- 6 Dolby¹⁶ Surround/Pro Logic Surround Settings
- On-Screen Display
- Surround Memory
- 30 AM/FM Station Presets
- RCA Universal Remote (53-Button)
- Dual Subwoofer Outputs
- 4 7/8" H, 16 1/2" W, 13" D

*RMS rating into 8 ohms, 20Hz - 20,000Hz, ± 1dB with less than .25% THD.



RV3695

- 40W x 40W x 40W Main/Center Channels**
- 20W x 20W Rear Surround Channels**
- 5 Audio/3 Video Source Inputs; RCA DVD and DSS® System Ready***
- 6 Dolby¹⁶ Surround/Pro Logic Surround Settings
- Surround Memory
- 30 AM/FM Station Presets
- RCA Universal Remote (53-Button)
- Dual Subwoofer Outputs
- 4 7/8" H, 16 1/2" W, 13" D

**RMS rating into 8 ohms, 40Hz - 20,000Hz, ± 1dB with less than .25% THD.

***Compatible with RCA Brand DSS® System. See footnotes on page 51. Simulated picture.

SPEAKERS

SP3800S3 Center/Surround Speaker System

- 70-Watt Maximum Power Handling Capability
- Full Range: 200Hz - 20,000Hz
- Unique Plastic Cabinet Designed for Flexible Room Placement
- Rotatable RCA Logo for Horizontal or Vertical Placement
- Magnetically Shielded for Home Theatre Applications
- Wall-Mounting Brackets and Templates Included
- 3 $\frac{1}{8}$ " H, 9 $\frac{1}{8}$ " W, 5" D



SP3500SW Powered Subwoofer

- 100-Watt³³ Built-In Amplifier
- Long-Throw Low-Distortion 12" Woofer
- Adjustable Filter to Customize Installation
- Bass Reflex
- 10' Cable Included
- Turns On Automatically When Audio is Sensed
- Connects Easily to Any Stereo TV with Variable Audio Output Jacks or Speaker Jacks
- 19 $\frac{3}{4}$ " H, 16 $\frac{1}{2}$ " W, 16 $\frac{1}{2}$ " D



SP3300BS2 2-Way Bookshelf Speakers

- 100-Watt Maximum Power Handling Capability
- Magnetically Shielded for Home Theatre Applications
- Bass Reflex
- 14" H, 8" W, 12 $\frac{1}{2}$ " D



SP1320C Center Channel Speaker

- 100-Watt Maximum Power Handling Capability
- Magnetically Shielded for Home Theatre Applications
- 5 $\frac{1}{8}$ " H, 17" W, 8" D



TOWER SPEAKERS

SP2900T Tower Speakers

- 120-Watt Maximum Power Handling Capability
- 3-Way Full-Range Speaker System {55Hz - 20,000Hz}
- Magnetically Shielded for Home Theatre Applications
- Autumn Tone Finish Matches G27692AT, G32681AT, G32750AT, G35781AT and G35831AT RCA Televisions
- 45 $\frac{3}{4}$ " H, 13" W, 11" D



SP1420T Tower Speakers

- 150-Watt Maximum Power Handling Capability
- 3-Way Full-Range Driver Layout {45Hz - 20,000Hz}
- Magnetically Shielded for Home Theatre Applications
- Unique Contemporary Styling to Complement Any RCA Ebony Finish Television Model
- Bass Reflex
- 45" H, 8" W, 13 $\frac{3}{4}$ " D



ACCESSORIES

RCA Home Theatre™ HP {High-Performance} Accessories

Take the confusion and worry out of home theatre hook-up with a complete line of Home Theatre™ HP accessories designed to simplify the installation process.



RCA



PICTURE PERFORMANCE

Color Picture-In-Picture¹⁷

Watch two programs at the same time—both in color. Remote-controlled operation includes Picture-In-Picture On/Off, Move, Swap, and Freeze.




Optimum Contrast Screen

The dark glass picture tube delivers outstanding picture contrast for blacker blacks, brilliant whites and deep, rich colors—even in bright room conditions.

Simulated comparison.

See footnotes on page 51.
Features vary by model.
Please check the feature comparison charts
for model specifications.






SOUND PERFORMANCE

Broadcast Stereo With dbx[®] Noise Reduction
Improves the clarity and fidelity of stereo broadcasts by restoring dynamic range and suppressing unwanted noise.

Second Audio Program {SAP}
Decodes the alternate second audio program available on some broadcasts.


XS[®] Stereo
Delivers stereo sound from compact cabinet designs. Patented process suppresses noise, restores dynamic range, and expands the stereo signal to create a more spacious sound effect.



CONVENIENCE FEATURES


30 Commercial Skip
Countdown timer returns TV to original channel, so other channels can be browsed during program breaks.

Auto Color Control
Automatically maintains natural flesh tones and color fidelity from channel to channel and scene to scene.




CH LBL Channel Labeling
Assign up to four on-screen characters to easily identify channels {e.g. NBC, HBO, ESPN, VH-1, etc.}

Multi-Language, Color-Coded Menu System



The multi-language, on-screen display makes it easy to control virtually every aspect of your RCA television's performance using your remote control. Settings are held in memory, even when TV is unplugged or power is interrupted.



Programmable Timer System
Automatic timer system can be used as a sleep timer, an alarm timer or as a scheduling timer.



5-Jack Audio/Video Monitor Panel

Provides direct audio and video connections for a VCR or any stereo video source. Variable audio outputs maintain remote volume and mute control when connected to an external amplifier.



CaptionVision[®] Closed Caption Capability⁹

When a program is aired with the encoded signal, the built-in closed caption decoder displays the audio portion of a program as text on the TV screen.


NiteGlo[®] Backlit Remote
The backlit controls make for easy night-time control of TV volume, channel scanning, mute and sleep timer.



RCA




ALL MODELS FEATURE :

- Optimum Contrast Screen
- Contrast/Color Tracking System
- Non-Volatile Memory
- 181-Channel Tuning Capability⁹
- Advanced Autoprogramming
- On-Screen Clock, Sleep and Alarm Timers
- On-Screen Menu System
- On-Screen Time and Channel Display
- CaptionVision  Closed Caption Capability⁹
- Commercial Skip
- Auto Color Control
- Channel Labeling**




27"
Diagonal
F27740SB Home Theatre™
HP (High-Performance)

- 770 Lines of Horizontal Resolution¹⁵
- SRS ⁴ Sound Retrieval System
- 10-Watt¹¹ Stereo Amplifier
- Master Touch® Universal Remote
- 16-Jack Audio/Video Monitor Panel with Front A/V Input
- 24³/₈" H, 25¹/₂" W, 20³/₄" D



27"
Diagonal
F27733SB Home Theatre™

- 700 Lines of Horizontal Resolution¹⁸
- 10-Watt¹¹ Stereo Amplifier
- SRS ⁴ Sound Retrieval System
- Master Touch® Universal Remote
- 13-Jack Audio/Video Monitor Panel with S-Video Input
- 24³/₈" H, 25¹/₂" W, 20³/₄" D



27"
Diagonal
F27638BC ColorTrak Plus™

- Master Touch® Universal Remote
- Broadcast Stereo with dbx⁶ Noise Reduction/SAP
- 5-Jack Audio/Video Monitor Panel
- 23" H, 25³/₈" W, 18⁷/₈" D

F27677BC ColorTrak Plus™

- Same features as F27638BC with Color Picture-In-Picture¹⁷ and S-Video Input



27"
Diagonal
F27636BC ColorTrak Plus™

- Master Touch® Universal Remote
- Broadcast Stereo with dbx⁶ Noise Reduction/SAP
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- 23" H, 25³/₈" W, 18⁷/₈" D

F27676BC ColorTrak Plus™

- Same features as F27636BC with Color Picture-In-Picture¹⁷ and S-Video Input



27"
Diagonal
F27252GY ColorTrak®

- Master Touch® Universal Remote
- XS® Stereo
- 3-Jack Audio/Video Monitor Panel
- 23" H, 25³/₈" W, 18⁷/₈" D



27"
Diagonal
F27242GY ColorTrak®

- XS® Stereo
- Parental Control⁷
- Multi-Language On-Screen Display
- ChanneLock™ Digital Remote
- 23" H, 25³/₈" W, 18⁷/₈" D



25"
Diagonal
F25674GY ColorTrak Plus™

- Master Touch® Universal Remote
- Broadcast Stereo with dbx⁶ Noise Reduction/SAP
- 5-Jack Audio/Video Monitor Panel with S-Video Input
- 22³/₄" H, 26¹/₂" W, 18³/₄" D



25"
Diagonal
F25654BC ColorTrak Plus™

- Master Touch® Universal Remote
- Broadcast Stereo with dbx⁶ Noise Reduction/SAP
- 5-Jack Audio/Video Monitor Panel
- 22³/₄" H, 26¹/₂" W, 18³/₄" D



25"
Diagonal
F25216WT XL-100®

- XS® Stereo
- Parental Control⁷
- Multi-Language On-Screen Display
- ChanneLock™
- Digital Remote
- 22³/₈" H, 24¹/₂" W, 18³/₄" D



27"
Diagonal
G27668VWK ColorTrak Plus™

- Master Touch® Universal Remote
- Broadcast Stereo with dbx[®] Noise Reduction/SAP
- 5-Jack Audio/Video Monitor Panel
- Integrated Component Storage*
- 46" H, 31¹/₂" W, 21⁵/₈" D



25"
Diagonal
F25209WT XL-100®

- Multi-Language On-Screen Display
- Digital Remote
- 22³/₈" H, 24¹/₂" W, 18³/₄" D



27"
Diagonal
G27352DT ColorTrak Plus™

- Master Touch® Universal Remote
- Broadcast Stereo with dbx[®] Noise Reduction/SAP
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- 29⁷/₈" H, 45¹/₂" W, 19⁷/₈" D



27"
Diagonal
G27693BA ColorTrak Plus™

- Master Touch® Universal Remote
- Broadcast Stereo with dbx[®] Noise Reduction/SAP
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Integrated Component Storage*
- 46" H, 31¹/₂" W, 21⁵/₈" D



27"
Diagonal
G27347HP ColorTrak Plus™

- Master Touch® Universal Remote
- Broadcast Stereo with dbx[®] Noise Reduction/SAP
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- 32³/₄" H, 32³/₈" W, 20⁷/₈" D



27"
Diagonal
G27692AT ColorTrak Plus™

- Master Touch® Universal Remote
- Broadcast Stereo with dbx[®] Noise Reduction/SAP
- 5-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Integrated Component Storage*
- 46" H, 31¹/₂" W, 21⁵/₈" D



27"
Diagonal
G27304DT ColorTrak®

- Master Touch® Universal Remote
- XS® Stereo
- 3-Jack Audio/Video Monitor Panel
- 29⁷/₈" H, 45¹/₂" W, 19⁷/₈" D



27"
Diagonal
G27303HP ColorTrak®

- Master Touch® Universal Remote
- XS® Stereo
- 3-Jack Audio/Video Monitor Panel
- 32³/₄" H, 32³/₈" W, 20⁷/₈" D

*Please see feature comparison charts for Integrated Component Storage dimensions.
See footnotes on page 51.
Simulated pictures.
**Excluding F25209WT

RCA



20" Diagonal F20603BC ColorTrak®

- Optimum Contrast Screen
- Parental Control⁷
- Multi-Language On-Screen Display
- Master Touch® Universal Remote (39-Button)
- Commercial Skip
- Auto Color Control
- Channel Labeling
- 19 1/8" H, 20 1/4" W, 18 7/8" D

ALL MODELS FEATURE*:

- On-Screen Clock, Sleep and Alarm Timers
- On-Screen Menu System
- 181-Channel Tuning Capability⁸
- Advanced Autoprogramming
- Front-Fired Speaker System
- On-Screen Time and Channel Display



20" Diagonal F20352SF ColorTrak®

- Optimum Contrast Screen
- Master Touch® Universal Remote (39-Button)
- 3-Jack Audio/Video Monitor Panel
- XS® Stereo
- Commercial Skip
- Auto Color Control
- Channel Labeling
- 19 1/8" H, 20 1/4" W, 18 7/8" D



BED ROOM

20" Diagonal F20640BC ColorTrak®

- Optimum Contrast Screen
- NiteGlo® Backlit Remote with Sleep Timer Button (34-Button)
- XS® Stereo
- 3-Jack Audio/Video Monitor Panel
- Multi-Language On-Screen Display
- Commercial Skip
- Auto Color Control
- Channel Labeling
- 19 1/8" H, 20 1/4" W, 18 7/8" D



19" Diagonal F19240GY XL-100®

- Optimum Contrast Screen
- XS® Stereo
- Parental Control⁷
- Multi-Language On-Screen Display
- ChannelLock™ Digital Remote (23-Button)
- Commercial Skip
- Auto Color Control
- Channel Labeling
- 18 1/2" H, 19 3/8" W, 18 1/4" D



20" Diagonal F20632SE ColorTrak Plus™

- Optimum Contrast Screen
- Master Touch® Universal Remote (39-Button)
- Broadcast Stereo with dbx[®] Noise Reduction/SAP
- Multi-Language On-Screen Display
- 5-Jack Audio/Video Monitor Panel
- Commercial Skip
- Auto Color Control
- Channel Labeling
- 19 1/8" H, 20 1/4" W, 18 7/8" D



19" Diagonal F19202WN XL-100®

- Optimum Contrast Screen
- Digital Remote (20-Button)
- Commercial Skip
- Auto Color Control
- 18 3/8" H, 20 1/8" W, 18 1/4" D

⁷Excludes E05202BC model.



M O B I L E

13"
Diagonal
E13335GY ColorTrak®

- ChannelLock™ Digital Remote {23-Button}
- Multi-Language On-Screen Display
- AC/DC Operation {Car Cord Included}
- Earphone Jack
- Commercial Skip
- 13 $\frac{3}{8}$ " H, 14 $\frac{1}{8}$ " W, 14 $\frac{1}{2}$ " D



K I T C H E N

9"
Diagonal
E09310WH ColorTrak® Spacesaver®

- Quick-Release Under-Cabinet Swivel Bracket
- Easy Clean White Remote {21-Button}
- FM Radio with Weatherband
- Multi-Language On-Screen Display
- Commercial Skip
- 10 $\frac{1}{8}$ " H, 11 $\frac{1}{2}$ " W, 13" D



K I T C H E N

13"
Diagonal
E13334WH ColorTrak®

- Easy Clean White Remote {21-Button}
- Multi-Language On-Screen Display
- Earphone Jack
- 13 $\frac{3}{8}$ " H, 14 $\frac{1}{8}$ " W, 14 $\frac{1}{2}$ " D



M O B I L E

9"
Diagonal
E09302BC ColorTrak®

- Removable High-Contrast Sunshield
- AC/DC Operation
- ChannelLock™ Digital Remote {23-Button}
- Earphone Jack
- Commercial Skip
- 10 $\frac{5}{8}$ " H, 11 $\frac{7}{8}$ " W, 13 $\frac{1}{8}$ " D



B E D R O O M

13"
Diagonal
E13332BC ColorTrak®

- NiteGlo® Backlit Remote with Sleep Timer Button {34-Button}
- Multi-Language On-Screen Display
- Earphone Jack
- Commercial Skip
- 13 $\frac{3}{8}$ " H, 14 $\frac{1}{8}$ " W, 14 $\frac{1}{2}$ " D



M O B I L E

5"
Diagonal
E05202BC AC/DC Color Television

- 3-Way AC/DC Operation
- DC Car Cord Included
- Audio/Video Input Jack
- Earphone Jack
- Electronic Signal Seek Tuner
- Durable Cabinet with Molded-in Carry Handle
- 6 $\frac{3}{8}$ " H, 6 $\frac{5}{8}$ " W, 10 $\frac{7}{8}$ " D



13"
Diagonal
E13202WT XL-100®

- Multi-Language On-Screen Display
- Digital Remote {20-Button}
- Commercial Skip
- 13" H, 14 $\frac{3}{8}$ " W, 14 $\frac{3}{8}$ " D

See footnotes on page 51.
Simulated pictures.


RCA



27"
Diagonal
T27265BC

- Optimum Contrast Screen
- Broadcast Stereo with dbx[®] Noise Reduction/SAP
- 4-Head VHS Hi-Fi Stereo VCR
- TV/VCR Remote (34-Button)
- Auto Head Cleaning System
- **VCRplus[®]** 19 Programming
- Bilingual On-Screen Display
- Auto Clock Set²⁰
- 26" H, 27" W, 22" D

ALL MODELS FEATURE:

- 181-Channel Tuning Capability⁸
- Autoprogramming
- Front-Fired Speaker System
- On-Screen Adjustments
- CaptionVision  Closed Caption Capability⁹
- Clock, Sleep and Alarm Timers
- Auto Repeat
- Timer Back-Up
- Audio/Video Inputs



27"
Diagonal
T27060GY

- Optimum Contrast Screen
- Broadcast Stereo with dbx[®] Noise Reduction/SAP
- 2-Head Mono VCR with Auto Head Cleaner
- Bilingual On-Screen Display
- Auto Clock Set²⁰
- TV/VCR Remote (34-Button)
- 26" H, 27" W, 22" D



TV/VCR FEATURES



Front A/V Input System

Allows convenient hook-up of camcorder or other audio/video source {on select models}.

Audio/Video Inputs
Rear-mounted panel provides direct audio and video connections for an additional VCR or video source {on select models}.

Bilingual On-Screen Display
Allows the on-screen menu system to be displayed in English or Spanish {on select models}.

Auto Head Cleaner
Safely cleans audio and video heads and helps maintain optimum picture performance during recording and playback {on select models}.

8-Event/1-Year Programmable Timer
The built-in timer memory can be preset up to one year in advance to record as many as eight different programs automatically {on select models}.

Auto Clock Set
Circuitry reads a broadcast signal²⁰ containing time of day and date information, automatically setting the clock during initial setup as well as after most power interruptions {on select models}.

Easy Clean White Remote

Innovative, washable keypad remote controls TV power, volume and direct access of channels, plus picture adjustments and VCR functions. The convenient hoop hanger permits hanging of remote, and the rubber bumper provides added durability and protection.

NiteGlo[®] Backlit Remote with Sleep Timer Button

Backlit controls make for easy night-time control of TV volume, channel scanning, mute, and sleep timer.



Features vary by model.
Please check the feature comparison charts
for model specifications



25" Diagonal T25003BC

- Optimum Contrast Screen
- 4-Head VCR
- TV/VCR Remote (40-Button)
- Multi-Language On-Screen Display
- 22 3/4" H, 24 3/4" W, 20 1/2" D



19" Diagonal T19060GY

- NiteGlo® Backlit Remote with Sleep Timer Button (34-Button)
- 2-Head VCR with Auto Head Cleaner
- Bilingual On-Screen Display
- Earphone Jack
- Commercial Skip
- **VCR Plus+**® 19 Programming
- 19" H, 19 3/4" W, 18 1/2" D



25" Diagonal T25001GY

- Optimum Contrast Screen
- 2-Head VCR
- TV/VCR Remote (38-Button)
- Multi-Language On-Screen Display
- 22 3/4" H, 24 3/4" W, 20 1/2" D



13" Diagonal T13070WH KitchenVision®

- *Easy Clean* White Remote (30-Button)
- 2-Head VCR with Auto Head Cleaner
- Integrated Swivel Base
- Multi-Language On-Screen Display
- Earphone Jack
- Bonus! Cooking Tape and Video Tape Catalog Included
- 15 3/4" H, 14 1/2" W, 15" D



KITCHEN



20" Diagonal T20065BC

- 4-Head VCR with Auto Head Cleaner
- Bilingual On-Screen Display
- Auto Clock Set²⁰
- TV/VCR Remote (34-Button)
- 21 1/8" H, 21 1/8" W, 19" D



13" Diagonal T13065BC

- NiteGlo® Backlit Remote with Sleep Timer Button (34-Button)
- 4-Head VCR with Auto Head Cleaner
- Integrated Swivel Base
- Multi-Language On-Screen Display
- Earphone Jack
- Commercial Skip
- 15 3/4" H, 14 1/2" W, 15" D



BEDROOM



20" Diagonal T20060GY

- 2-Head VCR with Auto Head Cleaner
- Bilingual On-Screen Display
- Auto Clock Set²⁰
- TV/VCR Remote (34-Button)
- 21 1/8" H, 21 1/8" W, 19" D



13" Diagonal T13060GY

- TV/VCR Remote with Sleep Timer Button (34-Button)
- 2-Head VCR with Auto Head Cleaner
- Multi-Language On-Screen Display
- Earphone Jack
- Commercial Skip
- 15 1/4" H, 14 1/2" W, 15" D

See footnotes on page 51
Simulated pictures.

RCA



COMMERCIAL ▶▶ ADVANCE²¹

Eliminates most commercials during playback.

Eliminates having to watch most commercials of a recorded program during tape playback. Consumer records and programs tapes no differently than in the past. Shortly after recording, the Commercial Advance system locates and electronically marks all commercial segments.

When the tape is played back, the VCR automatically fast forwards through all Commercial Advance encoded segments, displaying a blue screen during the process. Example: 3 minutes of commercial time will fast forward in about 10 seconds {SLP mode}.

Home Theatre™ VHS Hi-Fi VCRs

RCA Home Theatre™ begins with a high-performance video source. RCA VHS Hi-Fi VCRs combine outstanding picture and sound quality to deliver an extraordinary entertainment experience.



VR730HF

S-VHS

High-Resolution Video
Provides the ultimate in VHS video performance with 400 lines of horizontal resolution²² {through S-Video connection}. Excellent for recording the high-resolution picture and sound quality capabilities of the RCA DSS® system.

RCA Brand DSS® System Compatibility

Select RCA VCR models will send an infrared channel command signal to the RCA DSS® system receiver, enabling time shift recording capability for channel numbers up to 999. Operation is easy with the RCA Master Touch® Universal Remote.

Back-Lit Master Touch® Universal Remote {46-Button}

Provides control of two compatible VCRs, plus the basic functions for virtually every brand of remote-controllable TVs and cable boxes. The Master Touch® Universal Remote also allows control of the RCA DSS® system, RCA audio components and the RCA DVD player. All keys can be illuminated for night-time operation.



²¹ See footnotes on page 51.

²² Features vary by model.

Please check the feature comparison charts for model specifications.

Simulated pictures.

DSS® is a registered trademark of DIRECTV, Inc., a unit of Hughes Electronics Corp.

COMMERCIAL ▶ ADVANCE²¹

Electronic Index Mark

Electronic Index Mark



3 Minutes of Commercial Time Will Fast Forward in About 10 Seconds {SLP Mode}.



StarSight® 7-Day On-Screen Program Guide

On-screen TV program guide gives you seven days of program information updated daily. Record your favorite shows at the press of a button. Program descriptions are displayed as you change channels. You can even sort programs by category, like movies, sports, comedies and more. {StarSight® subscription required and sold separately.}

STAR SIGHT							
SEP 7	MON	TUE	WED	THU	FRI	SAT	SUN
	8:00P				8:30P		
CSP2	News 1				U.S. Senate		
CNN	First News						
26	Math...Who Needs It?						
SHOW	Scott and Molly						
HBO	Bingo						
DISC	All in a Day's Work						
ESPN	Major League Baseball (L)						
FAM	Batman						
4	Fresh Prince	Blossom					
DISN	Avonlea						
SHOW	SHOWTIME				CBL 37		8:08P



25-Event StarSight® Programmable Timer

Program up to 25 different shows, each with the press of a button.

StarSight® Auto Time Set™

Never worry about setting the clock again! The VCR automatically sets time and date during initial setup and restores them after extended power outages. {Signal availability required. StarSight® subscription required and sold separately.}



This innovative system addresses the consumer demand for easy VCR programming. Select VCRs combine VCR Plus+ Programming with advanced RCA on-screen display technology to significantly simplify the programming process. The user programs the VCR by entering a Plus Code¹⁹ number, and selecting one-time, daily or weekly recording.²³ The Plus Code numbers can be found in many local TV listings and TV Guide.²⁴

End-Time Adjustment

After entering the Plus Code¹⁹ for a recording, you now can adjust the end time of the show that you intend to record. Great to avoid missing the end of a live sports or entertainment event.

XDS Broadcast Data Service Capability²⁰

Displays current program information and station ID of the channel you're watching.



Auto Clock Set

The Auto Clock Set circuitry reads a broadcast signal²⁰ containing time of day and date information, automatically setting the clock during initial setup as well as after most power interruptions.

ShowSaver™

Memory Protection
Maintains timer programs in permanent memory, indefinitely, so you'll never have to worry about losing your timer program settings due to an extended power outage.

Commercial Advance is a trademark of Arthur D. Little Enterprises, Inc.

StarSight® features require StarSight® subscription service.

StarSight is a registered trademark of StarSight Telecast, Inc.

RCA



ALL MODELS FEATURE :

- Simplified On-Screen Programming
- 181-Channel Tuning Capability²⁵
- 8-Event/1-Year Programmable Timer*
- Quick Start Mechanism
- Auto Channel Search with Auto Cable/Antenna Switch
- High-Speed Rewind
- Previous Channel
- Digital Auto Tracking
- Real-Time Counter
- On-Screen VCR Setup Menu
- VHS Index Search System
- Express Recording (XPR)
- Auto Power/Rewind/Play



4-Head Hi-Fi VR681HF

- StarSight® On-Screen Program Guide
- –25-Event StarSight® Programmable Timer
- Cable Box Channel Control
- Large, Easy-to-Read Clock Display
- Master Touch® Universal Remote with Digital Jog/Shuttle Control (45-Button)
- Auto Daylight Savings Adjustment
- Front Audio/Video Input Jacks
- Auto Head Cleaning System
- 3 1/2" H, 15 3/4" W, 12 3/4" D

COMMERCIAL ▶ ADVANCE²¹
Eliminates most commercials during playback.



S-VHS Hi-Fi VR730HF

- S-VHS High-Resolution Video
- Commercial Advance²¹ Playback
- Advanced Double-Azimuth 4-Head Video System
- VCR Plus+¹⁹ Programming with End-Time Adjustment
- Auto Clock Set²⁰
- Back-Lit Master Touch® Universal Remote with Digital Jog/Shuttle Control (46-Button)
- RCA DSS® Receiver and Cable Box Control²³
- Alpha-Numeric Digital Display
- XDS Capability²⁰
- Auto Daylight Savings Adjustment
- 3 1/2" H, 15" W, 11 1/2" D

COMMERCIAL ▶ ADVANCE²¹
Eliminates most commercials during playback.



COMMERCIAL ▶ ADVANCE²¹
Eliminates most commercials during playback.



4-Head VR652HF

- Commercial Advance²¹ Playback
- VCR Plus+¹⁹ Programming with End-Time Adjustment
- Auto Clock Set²⁰
- Alpha-Numeric Digital Display
- Back-Lit Master Touch® Universal Remote (42-Button)
- XDS Capability²⁰
- ShowSaver™ Memory Protection
- Bilingual On-Screen Menus (English/French)
- Blank Search
- 3 1/2" H, 15 1/2" W, 12 1/2" D



4-Head Hi-Fi VR618HF

- Same features as VR652HF with Master Touch® Universal Remote (31-Button)**

4-Head Hi-Fi VR688HF

- Commercial Advance²¹ Playback
- VCR Plus+¹⁹ Programming with End-Time Adjustment
- RCA DSS® Receiver and Cable Box Control
- Auto Clock Set²⁰
- Back-Lit Master Touch® Universal Remote (46-Button)
- Alpha-Numeric Digital Display
- XDS Capability²⁰
- Auto Daylight Savings Adjustment
- ShowSaver™ Memory Protection
- Front Audio/Video Input Jacks
- 3 1/2" H, 15 1/2" W, 12 1/2" D



4-Head Hi-Fi VR689HF

- Same features as VR688HF with Master Touch® Universal Remote with Digital Jog/Shuttle Control (45-Button) and Audio/Video Dub with Flying Erase Head.



4-Head Hi-Fi VR619HF

- VCR Plus+¹⁹ Programming with End-Time Adjustment
- RCA DSS® Receiver and Cable Box Control
- Master Touch® Universal Remote (38-Button)
- Alpha-Numeric Digital Display
- Bilingual On-Screen Menus (English/French)
- Pro-Tect Plus™ (Child Lock)
- Auto Daylight Savings Adjustment
- 3 1/2" H, 15" W, 11 1/2" D

*Model VR681HF has 8-Event/1-Month Programmable Timer.
**Excludes Commercial Advance²¹ Playback, Auto Clock Set,²⁰ and XDS Capability.²⁰



4-Head Hi-Fi VR605HF

- Trilingual On-Screen Menus {English/French/Spanish}
- Direct-Access Infrared Remote {31-Button}
- Pro-Tect Plus™ {Child Lock}
- Auto Daylight Savings Adjustment
- Sound Alert
- 3½" H, 15" W, 11½" D

COMMERCIAL ▶ ADVANCE²¹
Eliminates most commercials during playback.



4-Head VR562

- Commercial Advance²¹ Playback
- VCR Plus+¹⁹ Programming with End-Time Adjustment
- Auto Clock Set²⁰
- Master Touch® Universal Remote {38-Button}
- Alpha-Numeric Digital Display
- Trilingual On-Screen Menus {English/French/Spanish}
- XDS Capability²⁰
- Pro-Tect Plus™ {Child Lock}
- Auto Daylight Savings Adjustment
- Sound Alert
- VHS Index Search System
- 3½" H, 15" W, 11½" D



4-Head VR560

- VCR Plus+¹⁹ Programming with End-Time Adjustment
- RCA DSS® Receiver and Cable Box Control
- Auto Clock Set²⁰
- Master Touch® Universal Remote {38-Button}
- Alpha-Numeric Digital Display
- Bilingual On-Screen Menus {English/French}
- XDS Capability²⁰
- Pro-Tect Plus™ {Child Lock}
- Auto Daylight Savings Adjustment
- Sound Alert
- 3½" H, 15" W, 11½" D



4-Head VR522

- VCR Plus+¹⁹ Programming with End-Time Adjustment
- Auto Clock Set²⁰
- Master Touch® Universal Remote {39-Button}
- Alpha-Numeric Digital Display
- Trilingual On-Screen Menus {English/French/Spanish}
- XDS Capability²⁰
- Auto Daylight Savings Adjustment
- 3⅝" H, 15 ½" W, 12 ½" D



4-Head VR508

- Trilingual On-Screen Menus {English/French/Spanish}
- Direct-Access Infrared Remote {31-Button}
- Pro-Tect Plus™ {Child Lock}
- Auto Daylight Savings Adjustment
- Sound Alert
- 3½" H, 15" W, 11½" D



2-Head VR337

- Same features as VR508



2-Head VR348

- VCR Plus+¹⁹ Programming with End-Time Adjustment
- Alpha-Numeric Digital Display
- Bilingual On-Screen Menus {English/French}
- Direct-Access Infrared Remote {31-Button}
- 3⅝" H, 14 ¼" W, 12 ½" D

See footnotes on page 51.
DSS® is a registered trademark of DIRECTV, Inc.,
a unit of Hughes Electronics Corp.
StarSight is a registered trademark of StarSight
Telecast, Inc.

RCA



INTRODUCING RCA PROVIEW™ CAMCORDERS



Enjoy all the action, while you video-tape!

Simply point the RCA PROVIEW™ Camcorder, **proview™** and then watch what you shoot — just like you were replaying it on TV. A 3" or 4" color LCD (Liquid Crystal Display) lets you keep an eye on your subject, as well as what's going on around you. The Display Panel even rotates 180 degrees so you can record yourself while the LCD screen faces you.

And you can take advantage of this great new way to record, without losing any of the features you expect from RCA camcorders. These models include Auto, Manual and Macro Focus, enabling you to record from a wide range of distances; a Built-in Speaker for listening to camcorder audio playback; and a Backlight Compensation feature that automatically adjusts to provide a better picture if your subject is backlit.



RCA CAMCORDER FEATURES



8MM Dual Battery System

Camcorder usage is no longer limited to the traditional camcorder battery. The RCA Dual Battery System, on PRO8® 8mm camcorders, offers the convenience of operating on 6 "AA" Alkaline batteries {not included}, providing up to 90 minutes of non-stop recording capability. These models also run on a rechargeable NiCad camcorder battery pack {included}.



Without EIS



With EIS

Electronic Image Stabilization {EIS}

Small camcorders can be difficult to hold steady for long time periods. Electronic Image Stabilization helps to minimize camcorder movement by digitally stabilizing the picture.



Colorview™ Color Viewfinder

Advanced color viewfinder technology lets you see the world of color you are recording... because we don't live in a black-and-white world.



Camcorder Compatibility with Home VCR

Convenient and easy-to-use, full-size and compact VHS camcorder recordings play back in your VHS VCR.



RCA CAMCORDER ACCESSORIES



Camcorder Carrying Cases

With bags to fit every camcorder size and consumer preference, this line is functional, stylish, and fills all promotional, value and premium bag needs.



Camcorder Tripods

RCA tripods add extra stability and convenience that will give videos a professional finish.



Camcorder Batteries

RCA rechargeable camcorder batteries are designed to the highest quality, durability and safety standards. Sixteen core battery models cover virtually every major brand of camcorder on the market. Informative packaging and cross-reference material make selecting the right battery easy.



Lights and Lenses

Ultra compact and lightweight, RCA camcorder lights help fill in the shadows and dark spots with a soft, lush light, and feature a rechargeable battery. RCA accessory lenses make the most of camcorder use and enjoyment. The wide-angle lens captures the big picture, while the telephoto lens brings out the fine detail of extreme close-ups. Both mount in seconds to most 8mm and VHS-C camcorders.

See footnotes on page 51.
Features vary by model.
Please check the feature comparison charts for model specifications.
Simulated pictures.

RCA



PROVIEW™ 8MM MODELS FEATURE:

- Full-Range AutoFocus System
- Built-In Speaker
- 180° Rotating Lens/Camcorder Body
- Macro Focus
- Flying Erase Head
- Backlight Compensation

8MM MODELS FEATURE:

- Full-Function Wireless Remote
- Full-Range AutoFocus System
- 15:1 Power Zoom Lens
- Program AE (Automatic Exposure)
- Dual Battery System
- Time/Date Insert

VHS MODELS FEATURE:

- 2-Speed Recording
- 8 Quick Titles
- Full-Range AutoFocus System
- 1-Page Titler
- 16 x 9 Recording Mode
- Automatic Head Cleaning System
- Flying Erase Head
- Scene Select AE Recording Dial

VHS MODELS FEATURE:

- Colorview™ Color Viewfinder
- Program AE (Automatic Exposure)
- Full-Range AutoFocus System
- 2-Line/1-Page Titler
- DSP3-Digital Signal Processing
- Time/Date Insert



CC900D Digital

- Digital High Resolution Recording and Playback³¹
- 20:1 Zoom Plus™ System with Variable Speed Zoom
- Electronic Image Stabilization (EIS)
- 12 Program Recording Modes and Digital Special Effects
- 18 Scene Transitions: Fade, Wipe, Mosaic, Scroll and Dissolve
- Advanced Editing Capabilities
- 5 7/8" H, 1 7/8" W, 3 1/2" D



proview™ 8MM

PROV950HB

- 30:1 Zoom Plus™
- 4" LCD Color Display Panel
- Electronic Image Stabilization (EIS)
- Hi-Band Video Performance
- High-Speed Shutter
- Hi-Fi Stereo Recording/Playback
- PROVIEW™ Docking Station
- Digital Special Effects
- 4 7/8" H, 7 1/2" W, 3 1/2" D



proview™ 8MM

PROV714

- 12:1 Power Zoom Lens
- 4" LCD Color Display Panel
- 4 7/8" H, 7 7/8" W, 3 5/8" D



PROV712

- Same features as PROV714 with 3" LCD Color Display Panel



8MM

PR0847 PR08®

- Blank Search
- Quick Connect Audio and Video Jacks
- 4 3/4" H, 4 1/4" W, 8 3/8" D



8MM

PR0842 PR08®

- Blank Search
- Quick Connect Audio and Video Jacks
- 4 3/4" H, 4 1/4" W, 8 3/8" D





CC639

- 28:1 Power Zoom Lens
- Electronic Image Stabilization (EIS)
- VCR/Camcorder Remote
- Built-in 3-Watt Color Enhancement Light
- LCD Status Window
- Scene Select AE Recording Dial with 9 Recording Modes
- 7 Scene Fades/Wipes
- Random-Assembly Editing*
- 4 7/8" H, 4 1/2" W, 8 1/2" D



CC636

- 28:1 Power Zoom Lens
- Electronic Image Stabilization (EIS)
- Built-in 3-Watt Color Enhancement Light
- Full-Function Wireless Remote
- Scene Select AE Recording Dial with 8 Recording Modes
- 5 Digital Fades
- 4 7/8" H, 4 1/2" W, 8 1/2" D



CC617

- 12:1 Power Zoom Lens
- Scene Select AE Recording Dial with 9 Recording Modes
- Flying Erase Head
- Built-in Lens Cover
- 4 7/8" H, 4 1/2" W, 8 7/8" D



CC633A

- 14:1 Power Zoom Lens
- Scene Select AE Recording Dial with 9 Recording Modes
- Flying Erase Head
- Built-in Lens Cover
- 4 7/8" H, 4 1/2" W, 8 7/8" D



CC436 Full-Size

- 24:1 Zoom Plus™ System
- Built-in 4-Watt Color Enhancement Light
- Flying Erase Head
- Instant Zoom
- 16 x 9 Recording Mode
- Digital Special Effects
- Audio/Video Dub
- Time/Date Insert
- 8 1/8" H, 4 1/2" W, 13 1/8" D



CC631

- 14:1 Power Zoom Lens
- Scene Select AE Recording Dial with 9 Recording Modes
- Flying Erase Head
- Built-in Lens Cover
- 4 7/8" H, 4 1/2" W, 8 7/8" D



CC431 Full-Size

- 12:1 Power Zoom Lens
- Audio/Video Dub
- Time/Date Insert
- 8 1/8" H, 4 1/2" W, 13 1/8" D



*Optional with remote

RCA



SystemLink™ and NiteGlo® Universal Remotes

System Link™ remotes control multiple brands of audio and video components. Models are available that operate three, four or five different electronic components.

The NiteGlo® remote features a backlit keypad on all buttons for easy night-time operation. Also controls four different components.



DTKIT RCA DSS® Do-It-Yourself Installation Kit

Contains most hardware and cables to install your RCA DSS® system. Includes a complete and easy-to-follow installation guide and video tape.



DT1940 RCA DSS® Remote Control Signal Sender

This accessory allows control of the RCA DSS® receiver from any room by sending the DSS® remote control signal from one room to another.



RCA Home Theatre™ HP (High-Performance) Accessories

Take the confusion and worry out of home theatre hook-up with a complete line of Home Theatre™ HP accessories designed to simplify the installation process. The EZ Hook-Up™ System and Guide provide everything needed for quick and hassle-free home theatre system set-up.



Universal Accessories

- A/V Hook-Up Accessories
- Signal Amplifier
- Surge Protectors
- CD Car Adapters
- Signal Splitters
- Dipole FM Antenna
- Coax Video Cables
- Audio Patch Cables
- Speaker Wire



RCA Digital Products Accessories

Designed to complement the new digital technologies like DSS® and DVD, these accessories enhance the enjoyment of digital equipment.

- Wireless Phone Jack System (RCA DSS® system compatible)
- Universal Remote
- Remote Control Signal Sender
- S-Video Cable
- Surge Suppressor



RC926 Wireless Phone Jack System—An Industry Exclusive!

Turn any electrical outlet into a phone jack instantly. Using patented technology, the Wireless Phone Jack System uses the existing electrical circuitry inside the home. Adding an outlet is as easy as plugging in the extension unit. Additional extensions are available to expand the phone jack system.



Video Rewinder

Save wear and tear on VCRs, with the added benefit of viewing the next video while the previous one rewinds.

Video Tapes

With a lifetime warranty,* RCA video tape is available in VHS, VHS-C, S-VHS, and 8mm formats.

*See your dealer for a copy of the warranty.



Indoor TV Antennas

(Unamplified and Amplified)

RCA Brand indoor TV antennas are easy to hook up and styled to complement modern TV cabinets.

RCA



RP-1820 AM/FM Personal Stereo Cassette Player

- 4-Pushbutton Cassette Operation
- Bass Boost
- Lightweight Stereo Headphones
- 3 $\frac{3}{8}$ " H, 5 $\frac{1}{32}$ " W, 1 $\frac{1}{16}$ " D



PERSONAL STEREO RADIO CASSETTE



RP-1880 Digital Tuned AM/FM Stereo Cassette Player with Auto Reverse

- PLL Digital Tuner with 20 Station Presets
- Auto Reverse for Continuous Play
- 4-Pushbutton Cassette Operation
- Bass Boost
- LCD Display
- 3 $\frac{3}{8}$ " H, 4 $\frac{5}{8}$ " W, 1 $\frac{1}{8}$ " D



RP-1810 AM/FM Personal Stereo Cassette Player

- 3-Pushbutton Cassette Operation
- Automatic End-of-Tape Shutoff
- Bass Boost
- Lightweight Stereo Headphones
- 3 $\frac{3}{4}$ " H, 5 $\frac{1}{2}$ " W, 1 $\frac{1}{2}$ " D



RP-1830 AM/FM Personal Stereo Cassette Player with Auto Reverse

- 4-Pushbutton Cassette Operation
- Auto Reverse for Continuous Play
- Automatic End-of-Tape Shutoff
- Bass Boost
- Lightweight Stereo Headphones
- 3 $\frac{1}{2}$ " H, 4 $\frac{1}{2}$ " W, 1 $\frac{1}{2}$ " D



RP-1800 Personal Stereo Cassette Player

- 3-Pushbutton Cassette Operation
- Automatic End-of-Tape Shutoff
- Bass Boost
- Lightweight Stereo Headphones
- 3 $\frac{1}{2}$ " H, 4 $\frac{1}{2}$ " W, 1 $\frac{1}{2}$ " D



PERSONAL STEREO RADIO

RP-1600 AM/FM Stereo Headset Radio

- 3-Position Function Switch (Off/AM/FM Stereo)
- 2 Built-in Antennas
- Lightweight Stereo Headphones with Adjustable Headband
- 3½" H, 2½" W, ¾" D



RP-7720 Mini AM/FM/FM Stereo Dual Cassette Recorder

- Dual Cassette Operation
- Continuous Play
- Bass Boost
- 1-Touch Recording
- 5¾" H, 20½" W, 4½" D



PORTABLE RADIO CASSETTE



RP-7855 3-Piece AM/FM/FM Stereo Dual Cassette Recorder

- Detachable 4" Full-Range Dynamic Speakers with Tuned Ports
- Bass Boost, Stereo Enhance, and "Vivid" Controls
- Continuous Play Mode
- 8" H, 24½" W, 6¾" D



RP-7710 Mini AM/FM Stereo Cassette Recorder

- 6-Pushbutton Cassette Operation
- Automatic End-of-Tape Shutoff
- Jack for Optional Stereo Headphones
- 5¾" H, 15¼" W, 4" D



RP-7824 3-Piece AM/FM/FM Stereo Cassette Recorder

- Detachable 4" Full-Range Dynamic Speakers
- Bass Boost
- Simulated Surround Sound
- 6-Pushbutton Cassette Operation
- 6¾" H, 24¾" W, 5¾" D



RP-7700 Mini AM/FM Cassette Recorder

- 6-Pushbutton Cassette Operation
- Automatic End-of-Tape Shutoff
- Jack for Optional Stereo Headphones
- 5½" H, 11½" W, 4" D

RCA



PERSONAL CD

CAR DISC

RP-2121 Car/Personal CD Player with Wireless Adapter System

- Compact CD Player with 20-Track CD Memory
- FMLink™ Wireless Adapter
- Electronic Skip Protection (ESP)
- Backlit Controls
- Bass Boost
- AC Adapter
- Car DC Adapter
- Lightweight Stereo Headphones
- 9-Function Remote Control
- 1 1/4" H, 5 1/8" W, 6" D



CAR DISC

RP-7927 Car/Personal CD Player

- Compact CD Player with 20-Track CD Memory
- Electronic Skip Protection (ESP)
- Bass Boost
- Car DC Adapter/Car Cassette Audio Output Adapter
- AC Adapter
- Lightweight Stereo Headphones
- 9-Function Remote Control
- 1 1/4" H, 5 1/8" W, 6" D



CAR DISC

RP-7925 Car/Personal CD Player

- Programmable 20-Track CD Memory
- Electronic Skip Protection (ESP)
- Car DC Adapter/Car Cassette Audio Output Adapter
- AC Adapter
- 18-Bit D/A Converter, 8X Oversampling
- Lightweight Stereo Headphones
- 1 1/4" H, 5 1/8" W, 6" D



CAR DISC

Car/Personal CD Accessories

- AC Adapter
- Lightweight Stereo Headphones
- Car DC Adapter/Car Cassette Audio Adapter

RP-7923 Personal CD Player

- Programmable 20-Track CD Memory
- Electronic Skip Protection (ESP)
- Bass Boost
- 18-Bit D/A Converter, 8X Oversampling
- AC/DC Adapter
- Lightweight Stereo Headphones
- 1 1/4" H, 5 1/8" W, 6" D



RP-7913 Personal CD Player

- Programmable 20-Track CD Memory
- 8-Hour Play from 2 "AA" Alkaline Batteries (Not Included)
- Bass Boost
- Shuffle Play
- Lightweight Stereo Headphones
- AC/DC Adapter
- 1 3/8" H, 5 3/8" W, 6 1/4" D



RP-7918 Car/Personal CD Player with Amplified Stereo Speaker System

- Programmable 20-Track CD Memory
- 8-Hour Play from 2 "AA" Alkaline Batteries (Not Included)
- Bass Boost
- Car DC Adapter/Car Cassette Audio Output Adapter
- AC Adapter
- Lightweight Stereo Headphones
- 1 3/8" H, 5 3/8" W, 6 1/4" D



RP-7916 Car/Personal CD Player

- Programmable 20-Track CD Memory
- 8-Hour Play from 2 "AA" Alkaline Batteries (Not Included)
- Bass Boost
- Car DC Adapter/Car Cassette Audio Output Adapter
- AC Adapter
- Lightweight Stereo Headphones
- 1 3/8" H, 5 3/8" W, 6 1/4" D



RCA



RP-7983 Portable CD Player with Digital AM/FM/FM Stereo Cassette Recorder

- Drawer-Load CD Player
- Programmable 20-Track CD Memory with Shuffle and Repeat
- 6-Pushbutton Cassette Recorder Operation
- 4 Electronic EQ Presets
- 9 1/8" H, 25 1/4" W, 9 1/4" D



PORTABLE CD THREE-PIECE

RP-7988 Portable CD Player with Digital AM/FM/FM Stereo and Dual Cassette Recorder

- Drawer-Load CD Player
- Programmable 20-Track CD Memory
- Backlit Multi-Function LCD Display
- 18-Function Remote Control
- 10" H, 26" W, 9 1/4" D



RP-7953 Portable CD Player with AM/FM/FM Stereo and Dual Cassette Recorder

- Top-Load CD with 21-Track CD Memory
- Dual Cassette with High-Speed Dubbing
- Bass Boost and Stereo Enhance
- Detachable Speakers with 4" Ported Woofer
- 9 1/8" H, 23" W, 8 3/4" D



RP-7987 Portable CD Player with Digital AM/FM/FM Stereo Dual Cassette Recorder

- Drawer-Load CD Player
- Programmable 20-Track CD Memory with Shuffle and Repeat Play
- Dual Cassette with Continuous Play and High-Speed Tape-to-Tape Dubbing
- 4 Electronic EQ Presets
- Ported 5" Woofers and 2" Cone Tweeters
- 10" H, 26" W, 9 1/4" D



RP-7976 Portable CD Player with AM/FM Stereo Cassette Recorder

- Top-Load CD Player
- 6-Pushbutton Cassette Recorder Operation
- Bass Boost
- Detachable Speakers with 4" Woofers
- 9 1/8" H, 23" W, 9 1/4" D



PORTABLE SPORTS CD

RP-7900 Portable Sports CD Player with Digital AM/FM/FM Stereo Cassette Recorder

- SplashProof CD Player
- Drawer-Load CD Player
- 6-Pushbutton Cassette Recorder Operation
- Rugged Design for Outdoor Use
 - High Impact Plastic
 - Rubberized Controls
 - SplashProof Construction
- 7 $\frac{1}{8}$ " H, 20 $\frac{7}{8}$ " W, 9 $\frac{1}{8}$ " D



PORTABLE CD ONE-PIECE

RP-7991 Portable Dual CD Player with AM/FM/FM Stereo Dual Cassette Player Recorder

- Top-Load Dual CD Deck with Continuous Play/Shuffle/Repeat/Program Modes
- Dual Cassette Decks with Continuous Play and High-Speed Tape-to-Tape Dubbing
- 4" Full-Range Dynamic Speakers
- Rotary Tune Control
- 8" H, 21 $\frac{1}{2}$ " W, 11" D



RP-7941 Portable CD Player with AM/FM/FM Stereo Cassette Recorder and Remote Control

- Remote Control
- Top-Load CD Player with 32-Track CD Memory
- Front-Loading Cassette with CD Synchronized Dubbing
- Bass Boost
- Two 4" Full-Range Dynamic Speakers
- 6 $\frac{1}{4}$ " H, 18" W, 9 $\frac{1}{2}$ " D



RP-7948 Portable CD Player with AM/FM Stereo and Dual Cassette Recorder

- Top-Load CD Player
- Dual Cassette with High-Speed Dubbing, CD-to-Tape Dubbing and Continuous Play
- Two 4" Full Range Stereo Speakers
- Bass Boost
- 6 $\frac{1}{8}$ " H, 20 $\frac{1}{2}$ " W, 9" D



RP-7939 Portable CD Player with AM/FM/FM Stereo Cassette Recorder

- Top-Load CD Player with 20-Track CD Memory
- Front-Loading Cassette with CD Synchronized Dubbing
- Bass Boost
- Two 4" Full Range Dynamic Speakers
- 6 $\frac{1}{4}$ " H, 18" W, 9 $\frac{1}{2}$ " D



RCA



AUDIO THEATRE



SP2050AW 50-Watt Powered Subwoofer

- Built-in Amplifier with 50 Watts of Output Power
- 6½" Cone Woofer
- Frequency Cutoff Switch {100Hz/200Hz}
- Phase Selector Switch (Normal/Reverse)
- 14" H, 7½" W, 13" D

SP2030AW 30-Watt Powered Subwoofer

- Same features as SP2050AW except with 30 Watts of Output Power



RP-9950 190-Watt Dolby[®] Pro Logic Surround Receiver with 5-Speaker Package and Subwoofer

- 190 Watts of Total Power with Dolby[®] Pro Logic Surround Processing {1% THD, 1kHz}
- 50 Watts for Left, Center and Right Channels
- 20 Watts for both the Left and Right Surround Channels
- 5-Speaker Package with 2 Main Speakers, Center Channel and 2 Surrounds
- 50-Watt Passive Subwoofer with 6½" Woofer
- RCA 53-Button Universal Remote
- Audio and Video {5 Audio/2 Video} Source Inputs
- Video Source Output
- 2-Year Limited Warranty*
- 6½" H, 16½" W, 14" D



RP-9900 120-Watt Dolby[®] Pro Logic Surround Receiver with 5-Speaker Package

- 120 Watts of Total Power with Dolby[®] Pro Logic Surround Processing {1% THD, 1kHz}
- 30 Watts for Left, Center and Right Channels
- 15 Watts for both Left and Right Surround Channels
- 5-Speaker Package with 2 Main Speakers, Center Channel and 2 Surrounds
- RCA 53-Button Universal Remote
- Audio and Video {5 Audio/2 Video} Source Inputs
- Video Source Output
- 2-Year Limited Warranty*
- 6½" H, 16½" W, 14" D


*For complete details on warranties, see your nearest RCA dealer.
SRS, the SRS symbol , and Sound Retrieval System are registered trademarks of SRS Labs, Inc.



AUDIO SYSTEMS - 5 DISC




RP-9560 100-Watt²⁶ Stereo System with Drawer-Load CD Changer, Surround Sound Speakers and 30-Watt Powered Subwoofer

- 5-Disc Carousel Changer
- Simultaneous Play and Load System
- Digital Tuning
- Electronic EQ/Bass Boost
- Program/Repeat/Shuffle/ATS™
- Dual Cassette Recorder
- RCA Coded Remote
- Audio and Video Source Inputs
- SRS  3-D Stereo Sound for Home Theatre Effect
- 2-Year Limited Warranty*
- 14 7/8" H, 32 1/2" W, 14 1/2" D



RP-9540 70-Watt²⁷ Stereo System with Drawer-Load CD Changer and Surround Sound Speakers

- 5-Disc Carousel Changer
- Simultaneous Play and Load System
- Digital Tuning
- Electronic EQ/Bass Boost
- Program/Repeat/Shuffle/ATS™
- Dual Cassette Recorder
- RCA Coded Remote
- Audio and Video Source Inputs
- SRS  3-D Stereo Sound for Home Theatre Effect
- 2-Year Limited Warranty*
- 14 7/8" H, 32 1/2" W, 14 1/2" D



RP-9520 10-Watt²⁸ Stereo System with Drawer-Load CD Changer

- 5-Disc Carousel Changer
- Simultaneous Play and Load System
- Digital Tuning
- Electronic EQ/Bass Boost
- Program/Repeat/Shuffle/ATS™
- Dual Cassette Recorder
- RCA Coded Remote
- Audio and Video Source Inputs
- 2-Year Limited Warranty*
- 14 7/8" H, 32 1/2" W, 14 1/2" D



AUDIO SYSTEMS - 3 DISC



RP-9340 40-Watt²⁹ Stereo System with Drawer-Load CD Changer

- 3-Disc Carousel Changer
- Simultaneous Play and Load System
- Digital Tuning
- Electronic EQ/Bass Boost
- Program/Repeat/Shuffle/ATS™
- Dual Cassette Recorder
- RCA Coded Remote
- Video Source Input
- 2-Year Limited Warranty*
- 11 1/2" H, 27" W, 13 7/8" D



RP-9320 6-Watt³⁰ Stereo System with Drawer-Load CD Changer

- 3-Disc Carousel Changer
- Simultaneous Play and Load System
- Digital Tuning
- Electronic EQ/Bass Boost
- Program/Repeat/Shuffle/ATS™
- Cassette Recorder
- RCA Coded Remote
- Video Source Input
- 2-Year Limited Warranty*
- 11 1/2" H, 27" W, 13 7/8" D



AUDIO SYSTEMS



RP-9300 Stereo System with Drawer-Load CD Changer

- 3-Disc Carousel Changer
- Simultaneous Play and Load System
- AM/FM/FM Stereo Tuner
- Cassette Recorder
- Remote Control
- 11½" H, 27" W, 13⅝" D



RP-9115 Stereo System with Drawer-Load CD Player

- AM/FM/FM Stereo Tuner
- Dual Cassette Recorder
- Bass Boost
- Remote Control
- 11¾" H, 21" W, 8¼" D



RP-9100 Stereo System with Drawer-Load CD Player

- AM/FM/FM Stereo Tuner
- Cassette Recorder
- Bass Boost
- Remote Control
- 9½" H, 21" W, 8" D



STAND-ALONE CD PLAYERS

RP-8055 Full-Size 5-Disc CD Changer

- Programmable 32-Track CD Memory/Random Play
- 8X Oversampling
- Simultaneous Play and Load System
- 27-Key Remote Control
- 4⅞" H, 17" W, 14⅞" D



CD1051M Midi Single CD Player

- Programmable 20-Track CD Memory
- Repeat One/All
- Search and Skip Functions
- 9-Key Remote Control
- 3⅞" H, 14" W, 11⅜" D



RCA DSS® SYSTEM

	DS7430RA	DS4430RA	DRD403RA	DS3330RA	DRD303RA
Receiver					
Satellite Receiver	DRD703RA	DRD403RA	DRD403RA	DRD303RA	DRD303RA
Finish	Ebony Texture	Ebony Texture	Ebony Texture	Ebony Texture	Ebony Texture
On-Screen Menu Display	16-Color Advanced	16-Color Advanced	16-Color Advanced	16-Color Basic	16-Color Basic
Advanced On-Screen Program Guides	•	•	•	•	•
Channel Icon Guide	•	•	•	•	•
4:3/16:9 Select	•	•	•	•	•
VCR Compatibility	4-Event Scheduler w/ VCR Control*	4-Event Scheduler w/ VCR Control*	4-Event Scheduler w/ VCR Control*	4-Event Scheduler	4-Event Scheduler
Front Panel Control	8-Button	8-Button	8-Button	8-Button	8-Button
Access Card	•	•	•	•	•
Personal Profiles	•	•	•		
One-Touch Tuning	•	•	•	•	•
One-Button Record	•	•	•	•	
Channel Select†	•				
Channel Capability	200+	200+	200+	200+	200+
Height (In Inches)	2 ½	2 ½	2 ½	2 ½	2 ½
Width (In Inches)	15 ½	15 ½	15 ½	15 ½	15 ½
Depth (In Inches)	14 ¼	14 ¼	14 ¼	14 ¼	14 ¼
Dish Antenna					
Satellite Dish Antenna	DSA400RW	DSA400RW		DSA300RA	
Dish Dimensions/ Style	18" x 20" Parabolic	18" x 20" Parabolic		18" x 20" Parabolic	
Finish	Lt. Satellite Gray	Lt. Satellite Gray		Lt. Satellite Gray	
Glass-Reinforced Plastic Dish	•	•		•	
LNB Outputs (Dish)	Dual	Dual		Single	
Shipping Weight (Dish)	10 lbs.	10 lbs.		10 lbs.	
Remote					
Remote Control	CRK91F	CRK91F	CRK91F	CRK91F	CRK91F
Remote Buttons	39	39	39	39	39
Universal Control ††	•	•	•	•	•
Connections					
Satellite In	F-Type	F-Type	F-Type	F-Type	F-Type
In From Antenna	F-Type	F-Type	F-Type	F-Type	F-Type
Out to TV	F-Type	F-Type	F-Type	F-Type	F-Type
S-Video Output Jack	S-Video	S-Video	S-Video	S-Video	S-Video
Audio/Video Output Jacks	2 Sets Gold-Plated	2 Sets Gold-Plated	2 Sets Gold-Plated	2 Sets	2 Sets
Direct IR Input Jack	•	•	•	•	•
WideBand Data Port	DB-15F	DB-15F	DB-15F	DB-15F	DB-15F
Low Speed Data Port	DB-9F	DB-9F	DB-9F		
Phone Jack	Modular	Modular	Modular	Modular	Modular
Miscellaneous					
Power Requirements	120VAC±10%	120VAC±10%	120VAC±10%	120VAC±10%	120VAC±10%
Shipping Weight (Total System)	28.2 lbs.	28.2 lbs.	8.6 lbs. (IRD Only)	28.2 lbs.	8.6 lbs. (IRD Only)

*Controls most brands of VCRs.


StarSight is a registered trademark of StarSight Telecast, Inc.

†Additional hardware required for complete installation.

††Controls most brands of TVs, VCRs, cable boxes and laser disc players.

DSS® is a registered trademark of DIRECTV, Inc., a unit of Hughes Electronics Corp.

RCA HOME THEATRE™ *HP* {HIGH-PERFORMANCE} AND HOME THEATRE™ TELEVISIONS

	60" diagonal	56" diagonal	52" diagonal	49" diagonal				46" diagonal				35" diagonal				
	P40758BA	P40755AT	P56740BG	P52771AT	P52755BA	P52754AT	P52720LV	P52720BA	P49740BG	P46734BA	P46733AT	P46720LV	P46720BA	F35760MB	F35755MB	G35851LA
Picture Performance	HP	HP	HP	HP	HP	HP	HT	HT	HP	HP	HP	HT	HT	HP	HP	HP
Optimum Contrast Screen															*	
HP Tuning System	*	*	*	*	*	*			*	*	*			*	*	*
High-Drive Picture System														*		*
INVAR Shadow Mask														*		*
High Gain Picture System (Max. Ft.)	300	300	320	400	400	400	320	320	400	400	400	400	400			
FDT™ INVAR Picture Tube ¹²														*		*
Dynamic Focus	*	*	*	*	*	*	*	*	*	*	*	*	*			
Comb Filter	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Wideband Video Amplifier	*	*	*	*	*	*			*	*	*			*	*	*
Video Noise Reduction	*	*	*	*	*	*			*	*	*			*	*	*
HP Scan Velocity Modulation (SVM)	*	*	*	*	*	*			*	*	*			*	*	*
Horizontal Resolution (lines per picture width)	930	930	930	930	930	930	930	930	930	930	930	930	930	830	780	830
Horizontal Resolution (lines per EIA measurement criteria)	700	700	700	700	700	700	700	700	700	700	700	700	700	623	586	623
Sound Performance																
Broadcast Stereo Reception dbx® Noise Reduction/SAP	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
SRS  ® Sound Retrieval System	*	*	*	*	*	*			*	*	*			*	*	*
Audio Power (Watts) ^{10,11}	20	20	20	20	20	20	10	10	20	20	20	10	10	10	10	10
Matrix Surround Sound ⁵	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Low-Noise Audio System	*	*	*	*	*	*			*	*	*			*	*	*
Front-Fired Speaker System	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Convenience																
Integrated Component Storage				*												*
Twin Tuner™ Picture-In-Picture	*	*	*	*	*	*			*	*	*			*	*	*
Color Picture-In-Picture ¹⁷							*	*				*	*			
Continuous Move/Channel Scan	*	*	*	*	*	*			*	*	*			*	*	*
Channel Labeling	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Parental Control ^l	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
VCR/DSS* Receiver/Cable Converter Setup	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Commercial Skip	To PIP	To PIP	To PIP	To PIP	To PIP	To PIP	4 (Max.)	4 (Max.)	To PIP	To PIP	To PIP	4 (Max.)	4 (Max.)	To PIP	To PIP	To PIP
Clock, Sleep and Alarm Timers	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Interactive Setup	*	*	*	*	*	*			*	*	*			*	*	*
Channel Tuning Capability ^a	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181
Autoprogramming (Advanced)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Super Shield® Screen Protector (Optional)	SSH518	SSH518	Built-In**	SSH519	SSH504	SSH504	SSH526	SSH526	Built-In**	SSH515	SSH515	SSH525	SSH525			
CaptionVision  Closed Caption Capability*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Text Decoder	*	*		*	*	*	*	*	*	*	*	*	*	*	*	*
Custom Picture Memory	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Remote Control (Batteries Included)																
Master Touch® Universal Remote (Buttons)	46	46	46	46	46	46	43	43	46	46	46	43	43	46	46	46
Remote-Controlled On-Screen Adjustments	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Connections																
Total Monitor Jacks	16	16	16	16	16	16	13	13	16	16	16	13	13	16	16	16
Video Inputs	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	2	2	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	2	2	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear
Stereo Audio Inputs (Pairs)	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	2	2	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	2	2	1 Front 2 Rear	1 Front 2 Rear	1 Front 1 Rear
S-Video Input	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dual RF Antenna Inputs	*	*	*	*	*	*	*	*	*	*	*	*	*			*
Video Output	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fixed Stereo Audio Output (Pair)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Variable Stereo Audio Output (Pair)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
External Speaker Terminals (Pair)(1 Front/1 Rear)	2	2	2	2	2	2	1	1	2	2	2	1	1	2	2	2
Dimensions																
Height (In Inches)	61⅞	61⅞	57⅞	66	56⅞	56⅞	54⅞ ₆	54⅞ ₆	50⅞	51⅞	51⅞ ₄	49⅞	49⅞	32⅞	32⅞	53⅞
Width (In Inches)	53⅞ ₄	53⅞ ₄	48⅞ ₆	50⅞ ₂	47⅞ ₄	47⅞ ₄	46⅞ ₆	46⅞ ₆	43⅞ ₆	42⅞ ₆	42⅞ ₆	41⅞ ₂	41⅞ ₂	34⅞ ₆	34⅞ ₆	42⅞ ₄
Depth (In Inches)	24	24	26⅞ ₂	26⅞ ₄	21⅞ ₆	21⅞ ₆	23⅞ ₆	23⅞ ₆	25⅞ ₂	20⅞ ₂	20⅞ ₂	23⅞ ₆	23⅞ ₆	23⅞ ₆	23⅞ ₄	23⅞ ₄
Approx. Shipping Weight (Lbs.)	392	392	293	292	346	346	235	235	265	276	276	217	217	200	198	365
Built-In Storage Dimensions																
Height (In Inches)				9⅞ ₂	8⅞ ₆											17
Width (In Inches)				22⅞ ₂	21⅞ ₄											23
Depth (In Inches)				24	6											19

HOME THEATRE™ AUDIO A/V SPEAKERS

32" diagonal		27" diagonal		
G35831AT	F32730SB	G32750AT	F27740SB	F27733SB
HP	HP	HP	HP	HT
•	•	•	•	•
•	•	•	•	
	•			
•	•	•	•	•
•	•	•	•	
•	•	•	•	
•	•	•	•	
780	770	770	770	700
586	579	579	579	530
•	•	•	•	•
•	•	•		
10	10	10		
•	•	•		
•	•	•		
•	•	•		
To PIP	To PIP	To PIP	To PIP	•
•	•	•	•	•
•	•	•		
181	181	181	181	181
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
46	46	46	46	44
•	•	•	•	•
16	16	16	16	13
1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	2
1 Front 1 Rear	1 Front 2 Rear	1 Front 2 Rear	1 Front 2 Rear	1
1	1	1	1	1
1	1	1	1	1
1	1	1	1	1
1	1	1	1	1
2	2	2	2	1
46	29	46 1/8	24 1/8	24 1/8
39	30 1/8	36 1/8	25 1/8	25 1/8
24 1/8	22 1/8	21	20 1/8	20 1/8
365	120	218	94	94
9 1/8		15 1/8		
22		23 1/8		
18 1/8		17 1/8		

*Compatible with RCA brand DSS® system.
 **Model P49740BG and P56740BG have a built-in screen protector.
 HP=Home Theatre® HP (High-Performance) models
 HT=Home Theatre® models

AT - Autumn Tone
 BA - Black Ash Stain
 BG - Black Granite
 LA - Light Autumn Tone
 LV - Light Vermont Stain
 MB - Metallic Black
 SB - Suede Black

•Projection TV and Console models with wood finishes are stained and lacquered on fiberboard and genuine wood solids.
 •Table models are simulated finishes on precision-molded plastic.

	SP3800S3	SP3500SW	SP3300S2	SP2900T	SP1420T	SP1320C
Features						
Type	Center/Surround	Powered Subwoofer	Bookshelf	Tower	Tower	Center
Finish	Black	Black	Suede Black	Autumn Tone	Suede Black	Suede Black
Cabinet Construction	Plastic	Wood	Wood	Wood	Wood	Wood
Maximum Power Handling Capability (Watts)	70	100*	100	120	150	100
Frequency Response	200-20,000Hz	30-200Hz	65-20,000Hz	55-20,000Hz	45-20,000Hz	150-15,000Hz
Bass Reflex		•	•	•	•	
Air Suspension	•					•
Magentically Shielded	•		•	•	•	•
Drivers						
Woofer		12"	6 1/2"	8"	6 1/2" x 2	3 1/2" x 2
Mid Range				5"		
Tweeter			1" Dome	1" Dome	1" Dome	1" Dome
Full-Range Driver (Qty.)	2 x 70mm					
Dimensions						
Height (In Inches)	3 1/8	19 1/8	14	45 1/8	45	5 1/8
Width (In Inches)	9 1/8	16 1/8	8	13	8	17
Depth (In Inches)	5	16 1/8	12 1/8	11	13 1/8	8
Weight (In Lbs./Carton)	12	35	33	42	48	11
Number of Speakers/Cartons	3	1	2	1	1	1
Miscellaneous						
One-Year Limited Warranty**	•	•	•	•	•	•

*Powered 100 Watts at 4 ohms from 30Hz to 200Hz, no more than 1% THD.
 **For complete details on warranties, see your nearest RCA Dealer.

HOME THEATRE™ AUDIO A/V RECEIVERS

	RV3788	RV3895
Features		
Surround Sound Type	Pro Logic	Pro Logic
Power Output: Primary L/R	40*	40**
Center	40	40
Rear Surround/Channel	40	20
Channels	5.1	5
THD% (Total Harmonic Distortion)	.25%	.25%
Surround Processing Settings	6	6
Surround Memory	•	•
RCA DVD Input	•	•
RCA DVD 5.1 Input	•	
RCA DSS® System Input	•	•
Audio/Video Inputs	5/3	5/3
Dual Subwoofer Output	•	•
Front Headphone Jack	•	•
Tuner (AM/FM Interchangeable Presets)	30	30
PLL Digital Tuner	•	•
RCA Universal Remote (53-Button)	•	•
Dimensions		
Height (In Inches)	4 1/8	4 1/8
Width (In Inches)	16 1/8	16 1/8
Depth (In Inches)	13	13
Weight (In Lbs.)	25.5	25.5
Miscellaneous		
One-Year Limited Warranty***	•	•

*RMS rating into 8 ohms, 20Hz to 20,000Hz, ± 1dB with less than .25% THD.
 **RMS rating into 8 ohms, 40Hz to 20,000Hz, ± 1dB with less than .25% THD.
 ***For complete details on warranties, see your nearest RCA Dealer.

DSS® is a registered trademark of DIRECTV, Inc., a unit of Hughes Electronics Corp.

RCA COLORTRAK PLUS™ AND COLORTRAK® TELEVISIONS

	35" diagonal			32" diagonal			27" diagonal						25" diagonal			20" diagonal											
	F35673MB	F35670MB	G35773SK	F32672SB	F32632SB	G32681AT	G32643SK	F27677BC	F27676BC	F27638BC	F27232GY	F27242GY	G27693BA	G27692AT	G27668WK	G27352DT	G27347HP	G27304DT	G27303HP	F25674GY	F25654BC	F25216WNT	F25209WNT	F20640BC	F20632SE	F20603BC	
Picture Performance	CT+	CT+	CT+	CT+	CT+	CT+	CT+	CT+	CT+	CT	CT	CT+	CT+	CT+	CT+	CT+	CT	CT	CT	CT+	CT+	XL	XL	CT	CT+	CT	
Screen Size (In Inches measured diagonally)	35	35	35	32	32	32	32	27	27	27	27	27	27	27	27	27	27	27	27	25	25	25	25	20	20	20	
Optimum Contrast Screen	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
110" Reduced-Depth Picture Tube	VHP	VHP	VHP	VHP	VHP	VHP	VHP	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
Comb Filter	•	•	•	•	•	•	•	•	•											•							
Dynamic Black Level Expansion	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Auto Color Control	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Contrast/Color Tracking	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Non-Volatile Memory	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Sound Performance																											
Broadcast Stereo Reception/ dbx [®] Noise Reduction/SAP	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•		•	•					•	
XS [®] Stereo												•	•					•	•			•		•			
Front-Fired Speaker System	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Convenience																											
Color Picture-In-Picture ¹⁷	•		•	•		•		•	•				•	•		•	•		•		•						
Multi-Language On-Screen Display	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Integrated Component Storage						•							•	•	•												
Channel Labeling	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•
Commercial Skip	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Parental Control ¹⁷												•										•				•	
XDS (Extended Data Service) ²⁰												•										•				•	
Clock, Sleep & Alarm Timers	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Picture Reset	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Channel Tuning Capability ^a	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181	
Autoprogramming (Advanced)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
CaptionVision ¹⁸ Closed Caption Capability ^a	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
AC/DC Operation (Car Cord)																											
FM Radio with Weather Band																											
Under-Cabinet Bracket																											
Remote Control (Batteries Included)																											
Master Touch [®] Universal Remote (Buttons)	43	39	43	43	39	43	39	43	43	39	39	39		43	43	39	43	43	39	39	43	39				39	39
ChanneLock [™] Digital Remote (Buttons)												23										23	20	34**			
Remote-Controlled On-Screen Adjustments	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Connections																											
Total Monitor Jacks	5	5	5	5	5	5	5	5	5	5	5	3		5	5	5	5	5	3	3	5	5			3	5	
Video Inputs	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1			1	1		
Stereo Audio Inputs (Pair)	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1			1	1		
S-Video Input	1	1	1	1	1	1	1	1	1	1										1							
Variable Stereo Audio Output (Pair)	1	1	1	1	1	1	1	1	1	1	1			1	1	1	1			1	1				1		
Earphone Jack																											
Dipole Antenna Included																											
Dimensions																											
Height (In Inches)	29 3/4	29 3/4	42	29	29	46 1/8	36 3/4	23	23	23	23	23	46	46	46	29 3/8	32 3/4	29 3/4	32 3/4	22 3/4	22 3/4	22 3/4	22 3/4	19 3/8	19 3/8	19 3/8	
Width (In Inches)	33 3/8	33 3/8	40 3/8	30 3/8	30 3/8	36 1/2	37 3/8	25 3/8	25 3/8	25 3/8	25 3/8	25 3/8	31 1/2	31 1/2	31 1/2	45 1/2	32 3/8	45 1/2	32 3/8	26 1/2	26 1/2	24 1/2	24 1/2	20 3/4	20 3/4	20 3/4	
Depth (In Inches)	23 3/4	23 3/4	25 3/8	22 1/2	22 1/2	22 3/8	22	18 3/8	18 3/8	18 3/8	18 3/8	18 3/8	21 3/8	21 3/8	21 3/8	19 3/8	20 3/8	19 3/8	20 3/8	18 3/4	18 3/4	18 3/4	18 3/4	18 3/8	18 3/8	18 3/8	
Approx. Shipping Wt (Lbs.)	189	189	274	120	120	218	218	90	90	90	90	90	215	230	230	176	170	176	170	75	75	78	78	54	54	54	
Built-In Storage Dimensions																											
Height (In Inches)						15								14 3/4	14 3/4	14 3/4											
Width (In Inches)						18								27	27	27											
Depth (In Inches)						32 1/2								17 1/2	17 1/2	17 1/2											

AT-Autumn Tone BA-Black Ash Stain BC-Black, Black Lenox, Ebony Texture DT-Deep Autumn Tone GY-Flint Texture, Gray or Slate Gray HP-Harvest Pecan Stain MB-Metallic Black SB-Suede Black SE-Spatter Ebony SF-Spatter Flint SK-Sunset Oak Stain WH-White WT-Walnut Stain
 CT+ - ColorTrak Plus™ models CT - ColorTrak® models XL - XL-100"


See footnotes on page 51.

*Easy Clean design.

**NiteGlo® design.

RCA TV/VCR COMBINATION

19" diagonal		13" diagonal		9" diagonal		5" diagonal			
F2032SF	F19240GSL	F19202MWH	E13335GY	E13334MWH	E13332BC	E13202WTF	E09310MWH	E09302BC	E05202BC
CT	XL	XL	CT	CT	XL	XL	CT	CT	
20	19	19	13	13	13	13	9	9	5
.	.	.							
.	.								
.	.	.							
.	.		.						
.			
.	.								
.
	
.	.								
.	
	.								
	.								
.	
.	
181	181	181	181	181	181	181	181	181	68
.	
.			
			.					.	.
							.		
							.		
39									
	23	20	23	30*	34**	20	30*	23	
.	
3									2
1									1
1									
		
		
19⅞	18½	18⅞	13⅞	13⅞	13⅞	13	10⅞	10⅞	6⅞
20¼	19⅞	20⅞	14⅞	14⅞	14⅞	14⅞	11½	11⅞	6⅞
18⅞	18¼	18¼	14½	14½	14½	14⅞	13	13⅞	10⅞
54	48	47	26	26	26	26	19	19½	15

27" diagonal		25" diagonal		20" diagonal		19" diagonal		13" diagonal	
T27265BC	T27060GY	T25003BC	T25001GY	T20065BC	T20060GY	T19060GY	T13070WH	T13065BC	T13060GY
TV Features									
Optimum Contrast Screen	*	*	*	*	*	*			
Dynamic Black Level Expansion	*	*			*	*			
181-Channel Tuning Capability*	*	*	*	*	*	*	*	*	*
Commercial Skip						*		*	*
Autoprogramming	*	*	*	*	*	*	*	*	*
Auto Clock Set ²⁰	*	*		*	*				
Clock/Sleep/Alarm Timers	*	*	*	*	*	*	*	*	*
Picture Reset	*	*	*	*	*	*	*	*	*
Multi-Language On-Screen Display*		*	*				*	*	*
Bilingual On-Screen Display**	*	*		*	*	*			
CaptionVision  Closed Caption Capability ⁹	*	*	*	*	*	*	*	*	*
Text Mode Captioning			*	*	*	*	*	*	*
Integrated Swivel Base							*	*	
Tamper Proof			*	*					
Program Guard	*	*			*	*			
Sound Performance									
Broadcast Stereo Reception dbx [®] Noise Reduction/SAP	*	*							
VHS Hi-Fi Stereo Recording/Playback	*								
Front-Fired Speaker System	*	*	*	*	*	*	*	*	*
VCR Features									
4-Head Video System	*		*		*			*	
2-Head Video System		*		*		*	*	*	*
VCR Plus+ ¹⁹ Programming	*					*			
Slow Motion	*	*		*	*	*	*	*	*
Frame Advance	*	SLP		*	SLP		*		
Auto Tracking	*	*	*	*	*	*	*	*	*
8-Event/1-Year Programmable Timer	*	*		*	*	*	*	*	*
5-Event/1-Month Programmable Timer			*	*					
Automatic Head Cleaning System	*	*		*	*	*	*	*	*
VHS Index Search System	*	*		*	*	*	*	*	*
Record Intro Scan			*	*					
Auto Repeat	*	*	*	*	*	*	*	*	*
Quick Start Mechanism	*	*	*	*	*	*	*	*	*
Timer Back-Up	*	*	*	*	*	*	*	*	*
Real-Time Counter	*		*	*	*	*			
Sound Alert	*	*		*	*				
Remote Control (Batteries Included)									
Remote Control (CRK____)	200B	200B	260B	261B	200B	200B	230CL	231B	230CL
Remote Buttons	34	34	40	38	34	34	34 ¹	30 ¹¹	34 ¹
On-Screen Adjustments	*	*	*	*	*	*	*	*	*
Connections									
Rear Audio Outputs	1								
Rear Audio/Video Inputs	*						*	*	*
Front Audio/Video Inputs	*	*	*	*	*	*	*	*	*
Earphone Jack							*	*	*
Dimensions									
Height (In Inches)	26	26	22 1/2	22 1/2	21 1/8	21 1/8	19	15 3/4	15 3/4
Width (In Inches)	27	27	24 1/2	24 1/2	21 1/8	21 1/8	19 1/2	14 1/2	14 1/2
Depth (In Inches)	22	22	20 1/2	20 1/2	19	19	18 1/2	15	15
Approx. Shipping Weight (Lbs.)	98	98	84	84	62	62	60	35	35

BC - Black finish GY - Gray finish WH - White finish
 TV/VCR Combo models are simulated finishes on precision-molded plastic.
 *English, French, Spanish
 **English, Spanish
¹NiteGlo[®] design
¹¹Easy Clean design

VIDEO CASSETTE RECORDERS

	S-VHS		4-Head VHS Hi-Fi						4-Head			2-Head		
	VR730HF	VR609HF	VR608HF	VR601HF	VR652HF	VR619HF	VR618HF	VR605HF	VR562	VR560	VR522	VR508	VR348	VR337
Picture Performance														
Double-Azimuth 4-Head	Amorphous	Amorphous	Amorphous	Amorphous	Amorphous	Amorphous	Amorphous	Amorphous	Amorphous	Amorphous	Amorphous	Amorphous		
AI Picture Control	•					•		•	•	•		•		
HQ Video Processing	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Flying Erase Head		•												
Variable Speed Slow Motion	•	•	•	•	•	•	•	Fixed	•	•	•	Fixed		Fixed
Stop Action	•	•	•	•	•	•	•	•	•	•	•	•		
Frame Advance	•	•	•	•	•	•	•	•	•	•	•	•		•
Digital Auto Tracking	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Sound Performance														
VHS Hi-Fi Stereo Record/Play	•	•	•	•	•	•	•	•						
MTS Broadcast Stereo Reception/SAP	•	•	•	•	•	•	•	•						
Remote Control														
Back-Lit Master Touch® Remote	Jog/Shuttle		•		•									
Master Touch® Universal Remote		Jog/Shuttle		Jog/Shuttle		•	•		•	•	•			
Direct-Access Infrared Remote								•				•	•	•
Convenience														
StarSight® On-Screen Guide				•										
XDS™ with Program Information		•	•		•									
ShowSaver™ Memory Protection		•	•		•		•							
Sound Alert	•					•		•	•	•		•		•
Auto Daylight Savings Adjustment	•	•	•	•	•	•		•	•	•	•	•		•
Express Recording (XPR) ²¹	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Commercial Advance ²⁵ Playback	•	•	•		•				•					
Auto Clock Set ²⁰	•	•	•	†	•				•	•	•			
VCR Plus+ ¹⁹ Programming System	•	•	•		•	•	•		•	•	•		•	
RCA DSS® Receiver Control	•	•	•			•				•				
Cable Box Channel Control	•	•	•	•		•				•				
Front Panel Shuttle Search Control	•	•	•											
QuickSet Guide		•	•		•								•	
Alpha-Numeric Digital Display	•	•	•		•	•	•		•	•	•		•	
Clock/Channel/Function Display	•	•	•	•	•	•	•	OSD	•	•	•	OSD	•	OSD
Trilingual On-Screen Menus*								•	•		•	•		•
Bilingual On-Screen Menus**		•	•		•	•	•			•			•	
On-Screen VCR Setup Menu	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Pro-Tect Plus™ (Child Lock)	•	•	•			•		•	•	•		•		•
181-Channel Tuning Capability ⁸	•	•	•	•	•	•	•	•	•	•	•	•	•	•
8-Event/1-Year Programmable Timer	•	•	•	*** 1-Month	•	•	•	•	•	•	•	•	•	•
Audio/Video Dub		•												
Front Audio/Video Input Jacks	• ^{††}	•	•	•										
Automatic Head Cleaning System		•	•	•										
Auto Repeat	•	•	•											
VHS Index Search System	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Blank Search	•	•	•		•		•		•					
Go-To Search		•	•	•	•		•				•			
Zero Search	•					•		•	•	•		•	•	•
Commercial Scan				•		•	•	•		•	•	•	•	•
On-Screen Real-Time Counter	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Quick Start Mechanism	•	•	•	•	•	•	•	•	•	•	•	•	•	•
High-Speed Rewind	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Dimensions														
Height (In Inches)	3½	3½	3½	3⅝	3½	3½	3½	3½	3½	3½	3½	3⅝	3½	3½
Width (In Inches)	15	15½	15½	15¼	15½	15	15½	15	15	15	15½	15	14¼	15
Depth (In Inches)	11½	12½	12½	12¼	12½	11½	12½	11½	11½	11½	12½	11½	12½	11½
Approx. Shipping Wt. (Lbs.)	11	12.75	12.75	13	12.75	10.5	12.75	10.25	10.5	10.25	12	10.25	12.5	10.25

See footnotes on page 51.

*English/French/Spanish

**English/French

***25 Event Programmable Timer

[†]StarSight® Auto Time Set

^{††}Includes S-Video Input/Output Connector

CAMCORDERS

	Digital	PROVIEW™ 8MM				8MM	Compact VHS				Full-Size VHS			
	CC9000	PROV950HB	PROV714	PROV712	PRO847	PRO842	CC639	CC636	CC633A	CC631	CC617	CC436	CC431	
Camera Performance														
Power Zoom Lens	10:1	12:1	12:1	12:1	15:1	15:1	14:1	14:1	14:1	14:1	12:1	24:1	12:1	
Headwheel (Diameter)	21.7mm	40mm	40mm	40mm	40mm	40mm	41mm	41mm	41mm	41mm	41mm	62mm	62mm	
Maximum Digital Zoom	100	30					140	28				100		
Hi8mm Hi-Fi		Hi-Fi	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	
Colorview™ Color Viewfinder	.55"	4"	4"	3"	.55"	.62	.55"	.55"	.55"		.55"	.55"	.55"	
DSP3-Digital Signal Processing							*	*				*	*	
Intelligent White Balance/Iris		*	*	*	*	*	*	*	*	*	*	*	*	
Scene Select									*	*	*			
Program AE (Auto Exposure)	*				*	*	*	*	*	*	*			
High-Speed Shutter	*	*			*	*	*	*	*	*	*	*	*	
Macro Focus	*	*	*	*	*	*	*	*	*	*	*	*	*	
Full-Range AutoFocus System	*	*	*	*	*	*	*	*	*	*	*	*	*	
CCD Sensor—Effective Pixels	570K	380K	250K	250K	250K	250K	250K	250K	250K	250K	250K	250K	250K	
16 x 9 Recording	*						*	*	*	*	*			
Electronic Image Stabilization (EIS)	*	*					*	*						
Sound Performance														
Audio System	DVC	Hi-Fi	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	
Built-In Microphone	Stereo	Stereo	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	
Microphone Wind Filter	Auto	*												
Recorder Performance														
Flying Erase Head		*	*	*	*	*	*	*	*	*	*	*		
Audio/Video Dubbing	*						*	*				*	*	
Random-Assembly Editing	*						* *							
Auto Head Cleaner							*	*	*	*	*			
Auto Lock Operation	*	*	*	*	*	*	*	*	*	*	*	*	*	
Special Features														
Dual Battery System					*	*								
Instant Zoom												*		
8 Quick Titles	*						*	*	*	*	*			
Built-In Titler							1-Page	1-Page	1-Page	1-Page	1-Page	2-Line 1-Page	2-Line 1-Page	
Synchro Edit	*						*	*	*	*	*			
Time/Date Insert	*	*			*	*	*	*	*	*	*	*	*	
Digital Special Effects	*	*					*	*				*		
Fade	*	*					*	*	*	*	*	*		
Built-in Color Enhancement Light							3-Watt	3-Watt				4-Watt		
Built-In Lens Cover	*						*	*	*	*	*			
LCD Status Window	*						*							
Accessories														
1-Hour Rechargeable Battery	*	*	*	*	*	*	*	*	*	*	*	*	*	
Wireless Remote Control	*	*			*	*	*	*						
AC Adaptor/Battery Charger	*	*	*	*			*	*	*	*	*	*	*	
Quick Connect Audio/Video Output Cable	*	*	*	*	*	*	*	*	*	*	*	*	*	
Shoulder Strap	*	*	*	*			*	*	*	*	*	*	*	
Cassette Adaptor							*	*	*	*	*			
Dimensions														
Height (In Inches)	5½	4¾	4¾	4¾	4¾	4¾	4¾	4¾	4¾	4¾	4¾	8½	8½	
Width (In Inches)	1¾	7½	7¾	7¾	4¾	4¾	4¾	4¾	4¾	4¾	4¾	4¾	4¾	
Depth (In Inches)	3½	3½	3¾	3¾	8¾	8¾	8½	8½	8½	8½	8½	13¾	13¾	
Approximate Shipping Weight (Lbs.)	4.8	5.5	5	5	3.7	3.7	4.6	4.6	4.6	4.6	4.4	8.1	8.1	

*With optional remote.

CAMCORDER REPLACEMENT BATTERIES

	Digital	PROVIEW™ 8MM			8MM	Compact VHS				Full-Size VHS			
	CC9000	PROV950HB	PROV714	PROV712	PRO847	PRO842	CC639	CC636	CC633A	CC631	CC617	CC436	CC431
Batteries													
EP096FL												*	*
FB120/FB1260							*	*	*	*	*		
AV158C/AV8MLED/AV8M3W					*	*							
BB45/BB50		*	*										
BB75/BB90		*											
BC40	*												

PERSONAL STEREO RADIO/
CASSETTE PLAYERS

	Radio		Cassette			
	RP-1600	RP-1600	RP-1810	RP-1820	RP-1830	RP-1880
AM/FM Tuner						
FM Stereo Indicator			*			*
LCD Display						
Station Presets						20
Bass Boost		*	*	*	*	*
Cassette						
Auto Reverse					*	*
Pushbuttons		3	3	4	4	4
Automatic End-of-Tape Shutoff		*	*	*	*	*
Power/Jacks						
Stereo Headphones (3.5mm)	Stereo	Stereo	Stereo	Stereo	Stereo	Stereo
Battery Requirements**	2 "AA"	2 "AA"	2 "AA"	2 "AA"	2 "AA"	2 "AA"
Dimensions						
Height (In Inches)	3½	3½	3¾	3¾	3½	3¾
Width (In Inches)	2½	4½	5½	5½	4½	4¾
Depth (In Inches)	¾	1½	1½	1½	1½	1½
Other Features						
Belt Clip	*	*	*	*	*	*
One-Year Limited Warranty*	*	*	*	*	*	*

*For complete details on warranties, see your nearest RCA Dealer.
**Batteries not included.

PORTABLE CASSETTE PLAYERS

	1-Piece			3-Piece	
	RP-1700	RP-1710	RP-1720	RP-1824	RP-1855
AM/FM Tuner					
FM Stereo LED		*		*	*
Bass Boost			*	*	*
Tone Control				*	
Cassette					
Single/Dual	Single	Single	Dual	Single	Dual
Pushbuttons	6	6	6/5	6	6/5
Tape-to-Tape Continuous					*
High-Speed Dubbing			*		*
Direct "Off-Air" Record Capability	*	*	*	*	*
Automatic End-of-Tape Shutoff	*	*	*	*	*
Speakers					
Full-Range Dynamic	3"	3"	3"	4"	4"
Detachable				*	*
Power/Jacks					
Headphones (3.5mm)			*	*	*
AC/DC Power	*	*	*	*	*
Battery Requirements**	4 "D"	4 "D"	6 "D"	6 "D"	6 "D"
AC Line Cord	*	*	*	*	*
Dimensions					
Height (In Inches)	5½	5½	5½	6¾	8
Width (In Inches)	11½	15½	20½	24¾	24¾
Depth (In Inches)	4	4	4½	5½	6¾
Other Features					
One-Year Limited Warranty*	*	*	*	*	*

*For complete details on warranties, see your nearest RCA Dealer.
**Batteries not included.

CAR/PERSONAL CD PLAYERS

	RP-1913	RP-1916	RP-1918	RP-1923	RP-1925	RP-1927	RP-2110	RP-2121
	CD Player	CD Player	CD Player	CD Player	CD Player	CD Player	CD Player	CD Player
Programmable Memory	20	20	20	20	20	20	20	20
Shuffle Play	*	*	*	*	*	*	*	*
Repeat One/All	*	*	*	*	*	*	*	*
LCD Display	*	*	*	*	*	*	*	*
Backlit Controls					*		*	*
Electronic Skip Protection				*	*	*	*	*
Oversampling	4X	4X	4X	8X	8X	8X	8X	8X
Bass Boost	*	*	*	*	*	*	*	*
Accessories								
Stereo Headphones	*	*	*	*	*	*	*	*
AC/DC Converter	*	*	*	*	*	*	*	*
Cassette Adapter		*	*		*	*		
Cigarette Lighter Adapter		*	*		*	*	*	*
Amplified Speaker			*					
FMLink™ RF Transmitter							*	*
Remote Control						*		*
Power/Jacks								
Stereo Headphones (3.5mm)	1	1	1	1	1	2	2	2
External DC	3V	3V	3V	3V	3V	3V	3V	3V
CD Line Output (3.5mm)				*	*	*		
AC/DC Power	*	*	*	*	*	*	*	*
Battery Requirements**	2 "AA"	2 "AA"	2 "AA"	2 "AA"	2 "AA"	2 "AA"	2 "AA"	2 "AA"
Dimensions								
Height (In Inches)	1½	1½	1½	1½	1½	1½	1½	1½
Width (In Inches)	5¾	5¾	5¾	5¾	5¾	5¾	5¾	5¾
Depth (In Inches)	6¼	6¼	6¼	6	6	6	6	6
Other Features								
One-Year Limited Warranty*	*	*	*	*	*	*	*	*

*For complete details on warranties, see your nearest RCA Dealer.
**Batteries not included.

PORTABLE CD PLAYERS

	1-Piece				Sports		3-Piece			
	RP-7939	RP-7941	RP-7948	RP-7991	RP-7990	RP-7993	RP-7976	RP-7983	RP-7987	RP-7988
CD Player										
Programmable Memory	20	32		20	20	21		20	20	20
Shuffle Play				•	•	•	•	•	•	•
Repeat One/All	•	•	•	•	•	•	•	•	•	•
LCD Display	•	•	•	•	•	•	•	•	•	•
Amplifier										
Graphic Equalizer				Rotary Tone	•					3 Band
Bass Boost	•		•		•	•	•	•	•	•
EQ Presets								4	4	4
AM/FM Tuner										
FM Stereo LED	•	•	•	•	•	•		•	•	•
Tuning	Analog	Analog	Analog	Analog	Analog	Analog	Analog	Digital/PLL	Digital/PLL	Digital/PLL
Preset Storage								10	10	10
Cassette										
Single/Dual	Single	Single	Dual	Dual	Single	Dual	Single	Single	Dual	Dual
Pushbuttons	6	6	6/5	6/5	6	6/5	6	6	6/5	6/5
Tape-to-Tape Continuous			•	•		•			•	•
High-Speed Dubbing			•	•	•	•			•	•
Direct "Off-Air" Record Capability	•	•	•	•	•	•	•	•	•	•
Automatic End-of-Tape Shutoff	•	•	•	•	•	•	•	•	•	•
Speakers										
Woofers						4" Ported	4"	5"	5"	5"
Tweeters						Piezo	Piezo	Piezo	2" Cone	2" Cone
Full-Range Dynamic	4"	3.5"	4"	4"	4"					
Detachable						•	•	•	•	•
Power/Jacks										
Headphones (3.5mm)	•	•	•	•	•	•	•	•	•	•
Microphone (3.5mm)							•			
AC/DC Power	•	•	•	•	•	•	•	•	•	•
Battery Requirements**	6 "D"	6 "D"	8 "D"	8 "D"	6 "D"	8 "D"	6 "D"	8 "D"	8 "D"	8 "D"
AC Line Cord	•	•	•	•	•	•	•	•	•	•
Dimensions										
Height (In Inches)	6½	6	6½	8	7½	9½	9½	9½	10	10
Width (In Inches)	18	18	20½	21½	20½	23	23	25½	26	26
Depth (In Inches)	9½	9½	9	11	9½	8½	9½	9½	9½	9½
Other Features										
One-Year Limited Warranty*	•	•	•	•	•	•	•	•	•	•

*For complete details on warranties, see your nearest RCA Dealer.

**Batteries not included.


SUBWOOFERS

	SP2000AW	SP2050AW
Features		
Woofers	6½"	6½"
Tuned Port Design	•	•
High/Low Frequency Selection	•	•
Phase Control	•	•
Total Watts	30	50
Dimensions		
Height (In Inches)	14	14
Width (In Inches)	7½	7½
Depth (In Inches)	12	12
Miscellaneous		
One-Year Limited Warranty*	•	•

*For complete details on warranties, see your nearest RCA Dealer.

AUDIO SYSTEMS

	1-Disc		3-Disc		HP (High Performance)		5-Disc	
	RP-9100	RP-9115	RP-9300	RP-9320	RP-9340	RP-9520	RP-9540	RP-9560
Remote Control								
Number of Keys	14	14	14	20	20	20	20	20
RCA Coded				•	•	•	•	•
Amplifier								
Total Watts	2.4	2.4	2.4	6	40	10	70	100
Power: RMS/Channel	1.2W	1.2W	1.2W	3W	20W	5W	35W	50W
Power Bandwidth	@ 1kHz <10% THD	@ 1kHz <10% THD	@ 1kHz <10% THD	80Hz 15kHz <10% THD	80Hz 15kHz <10% THD	80Hz 15kHz <10% THD	1kHz <1% THD	1kHz <1% THD
Speaker Impedance	8 Ohms	8 Ohms	8 Ohms	8 Ohms	6 Ohms	6 Ohms	6 Ohms	6 Ohms
MOSFET Power Amplifier						•	•	•
Electronic Equalizer				5 Presets	5 Presets	3 Presets	3 Presets	3 Presets
Bass Boost	•	•	•			•	•	•
Variable Bass Boost				•	•			
Tuner								
Tuning: AM/FM/FM Stereo	Analog	Analog	Analog	Digital	Digital	Digital	Digital	Digital
Station Memories				32	32	32	32	32
SRS  3-D Stereo Sound							•	•
Seek Up/Scan Up				•	•	•	•	•
Tuner-to-Tape Recording	•	•	•	•	•	•	•	•
Cassette								
Cassette	Single	Dual	Single	Single	Dual	Dual	Dual	Dual
Tape-to-Tape Dubbing		•			•	•	•	•
"Off-Air" Recording	•	•	•	•	•	•	•	•
Continuous Play/Auto Stop	•	•	•	•	•	•	•	•
Compact Disc								
Single/Changer	1 CD	1 CD	3 CD	3 CD	3 CD	5 CD	5 CD	5 CD
Shuffle/Repeat	•	•	•	•	•	•	•	•
Simultaneous Play and Load System			•	•	•	•	•	•
Programmable Memory Key (Tracks)				32	32	32	32	32
CD-to-Tape Dubbing	•	•	•	•	•	•	•	•
Speakers								
Tweeters					2½" Cone		2" Cone	2" Cone
Woofers	4"	4"	4"	5½"	5½"	5½"	6½"	6½"
Surround Sound Speakers (4" Full Range)							4"	4"
30-Watt Active Subwoofer								6½"
Power/Jacks								
Stereo Headphone	•	•	•	•	•	•	•	•
FM Antenna	•	•	•	•	•	•	•	•
Aux/Video				•	•		•	•
Subwoofer/Video/ Surround Sound							•	•
Dimensions								
Height (In Inches)	9½	11½	11½	11½	11½	14¾	14¾	14¾
Width (In Inches)	21	21	27	27	27	32½	32½	32½
Depth (In Inches)	8	8½	13¾	13¾	13¾	14½	14½	14½
Other Features								
One-Year Limited Warranty*	•	•	•					
Two-Year Limited Warranty*				•	•	•	•	•

*For complete details on warranties, see your nearest RCA Dealer.
SRS, the SRS symbol , and Sound Retrieval System are registered trademarks of SRS Labs, Inc.

AUDIO THEATRE SYSTEMS

	RP-9900	RP-9950
Remote Control		
Universal Remote	•	•
Number of Keys	53	53
Amplifier/Sound Processor		
Dolby® Pro Logic Amplifier	•	•
Total RMS	120W 30W x 2 30W 15W x 2 1% @ 1kHz	190W 50W x 2 50W 20W x 2 1% @ 1kHz
Center/Surround Volume Control	•	•
4 Surround Settings (Pro Logic/Dolby® 3 Stereo/Hall/Bypass)	•	•
Center Modes (Normal/Wide/Phantom)	•	•
Dolby® 3 Stereo Center Modes	•	•
Motorized Rotary Volume Control	•	•
Balance/Treble/Bass Controls	•	•
Tone Test All Channels	•	•
Tuner		
AM/FM/FM Stereo	•	•
Station Memories	30	30
Seek Up/Down	•	•
Preset Scan	•	•
Built-in AM Antenna	•	•
FM Wire Antenna	•	•
Speakers		
Main Speakers (Left/Right) Tweeters	2½"	2½"
Woofers	5"	6½"
Center Speaker Tweeters	2½"	2½"
Woofers	4"	5"
Surround Speakers (Full Range)	4"	4"
Subwoofer (50W Passive)		•
Power/Jacks		
Video/Audio/Subwoofer	•	•
Stereo Headphone	•	•
Dimensions (Receiver Only)		
Height (In Inches)	6½	6½
Width (In Inches)	16½	16½
Depth (In Inches)	14	14
Miscellaneous		
VF Display	•	•
Video Patch Cord (Yellow)	•	•
Audio Left/Right Patch Cords (Red/White)	•	•
Two-Year Limited Warranty**	•	•

*Dolby is a registered trademark of Dolby Laboratories Licensing Corporation.
**For complete details on warranties, see your nearest RCA Dealer.

STAND-ALONE
CD PLAYERS

	CD106-11M	RP-8055
Features		
CD Player	Single	5-Disc
Size	Mini	Full
Display	LED	VF
Play While Open		•
Shuffle Play		•
Remote (Keys)	9	27
Dual D/A Converter (Bit)	16	18
Oversampling Digital Filter	2X	8X
Program Memory	20	32
Dimensions		
Height (In Inches)	3¾	4½
Width (In Inches)	14	17
Depth (In Inches)	11¾	14¾
Miscellaneous		
One-Year Limited Warranty*	•	•

*For complete details on warranties, see your nearest RCA Dealer.